



Information Report

DERRY-LONDONDERRY
 13065B
 A005(207)

County: ROCKINGHAM
 Date Bids Open: 6/13/2024
 Scope of Work: Construction of a new connecting roadway from the I-93 Exit 4A 13065A project east (~ .4m)
 Location: Folsom Road
 Completion Date: 6/25/2027
 Proposal Guarantee: 5% of bid amount

Item Number	Item Description	Unit	Estimated Quantity
DERRY-LONDONDERRY 13065B			
Roadway			
201.1	CLEARING AND GRUBBING (F)	A	7.90
201.21	REMOVING SMALL TREES	EA	62.00
201.22	REMOVING LARGE TREES	EA	54.00
201.881	INVASIVE SPECIES CONTROL TYPE I	SY	31,000.00
201.882	INVASIVE SPECIES CONTROL TYPE II	SY	1,500.00
202.201	DEMOLISHING BUILDINGS	U	1.00
202.202	DEMOLISHING BUILDINGS	U	1.00
202.301	BUILDING ASBESTOS ABATEMENT	U	1.00
202.302	BUILDING ASBESTOS ABATEMENT	U	1.00
202.31	FILL ABANDONED PIPE	CY	33.00
202.41	REMOVAL OF EXISTING PIPE 0-24" DIAMETER	LF	5,800.00
202.42	REMOVAL OF EXISTING PIPE OVER 24" DIAMETER	LF	170.00
202.43	REMOVAL AND DISPOSAL OF ASBESTOS (ACM) PIPE, 0-24" DIAMETER	LF	50.00
202.5	REMOVAL OF CATCH BASINS, DROP INLETS, AND MANHOLES	EA	95.00
202.7	REMOVAL OF GUARDRAIL	LF	340.00

202.843	REMOVAL OF LIGHT POLE	U	2.00
203.1	COMMON EXCAVATION	CY	113,200.00
203.11	COMMON EXCAVATION - LRS	CY	700.00
203.112	COMMON EXCAVATION - LRS/PFAS	CY	24.00
203.12	COMMON EXCAVATION - PFAS	CY	1,900.00
203.2	ROCK EXCAVATION	CY	31,200.00
203.4	MUCK EXCAVATION	CY	1,300.00
203.53	LOW PERMEABILITY FILL (F)	CY	1,272.00
203.5525	PORTABLE CHANGEABLE MESSAGE SIGN PLATFORM	U	6.00
203.5561	EAGRT PLATFORM PREFERRED	U	8.00
203.5562	EAGRT PLATFORM ALTERNATE	U	1.00
203.5571	EAGRT PLATFORM PREFERRED, TL 2 - 25'	U	1.00
203.6	EMBANKMENT-IN-PLACE (F)	CY	39,488.00
203.661	GRAVEL BACKFILL FOR MUCK AND UNSUITABLE MATERIAL EXCAVATION	CY	1,200.00
203.662	ROCK AND GRAVEL BACKFILL FOR MUCK AND UNSUITABLE MATERIAL EXCAVATION	CY	100.00
203.71	REHANDLING EXCAVATED RR MATERIAL	CY	950.00
206.1	COMMON STRUCTURE EXCAVATION	CY	2,950.00
206.19	COMMON STRUCTURE EXCAVATION EXPLORATORY	CY	120.00
206.2	ROCK STRUCTURE EXCAVATION	CY	1,400.00
209.1	GRANULAR BACKFILL	CY	1,600.00
214.	FINE GRADING	U	1.00
214.43	FINE GRADING - STREAM RELOCATION	U	1.00
304.1	SAND (F)	CY	28,113.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	100.00
304.4	CRUSHED STONE (FINE GRADATION) (F)	CY	17,482.00
304.41	CRUSHED STONE (FINE GRADATION) FOR SHIM	CY	310.00
304.45	CRUSHED STONE (FINE GRADATION) FOR DRIVES	CY	2,500.00

304.5	CRUSHED STONE (COARSE GRADATION) (F)	CY	11,924.00
403.11021	HBP-3/4" BINDER MIX, MACHINE METHOD, QC/QA TIER 1	TON	1,700.00
403.11022	HBP-3/4" BINDER MIX, MACHINE METHOD, QC/QA TIER 2	TON	7,500.00
403.11023	HBP-3/4" BINDER MIX, MACHINE METHOD	TON	630.00
403.11031	HBP-3/4" WINTER BINDER MIX, MACHINE METHOD, QC/QA TIER 1	TON	1,700.00
403.11032	HBP-3/4" WINTER BINDER MIX, MACHINE METHOD, QC/QA TIER 2	TON	9,500.00
403.11042	HBP-1/2" SURFACE MIX, MACHINE METHOD, QC/QA TIER 2	TON	1,600.00
403.11043	HBP-1/2" SURFACE MIX, MACHINE METHOD	TON	470.00
403.11941	HBP-1/2" SURFACE MIX, MACHINE METHOD, HIGH STRENGTH, QC/QA TIER 1	TON	2,200.00
403.11942	HBP-1/2" SURFACE MIX, MACHINE METHOD, HIGH STRENGTH, QC/QA TIER 2	TON	3,200.00
403.12	HBP-HAND METHOD	TON	3,800.00
403.16	PAVEMENT JOINT ADHESIVE	LF	117,500.00
403.19	HBP-TEMPORARY	TON	400.00
403.4	MATERIAL TRANSFER VEHICLE (MTV)	TON	24,900.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	5,800.00
417.	COLD PLANING BITUMINOUS SURFACES	SY	1,200.00
503.204	COFFERDAMS	U	1.00
503.205	COFFERDAMS	U	1.00
503.206	COFFERDAMS	U	1.00
503.207	COFFERDAMS	U	1.00
503.208	COFFERDAMS	U	1.00
503.209	COFFERDAMS	U	1.00
508.	STRUCTURAL FILL	CY	450.00
520.1	CONCRETE CLASS A	CY	16.00
520.2	CONCRETE CLASS B	CY	160.00
544.1	REINFORCING STEEL (ROADWAY)	LB	16,100.00
550.3	STEEL BOLLARD (REMOVABLE)	EA	8.00

572.2	RECONSTRUCTING STONE WALL MULTIPLE STONES WIDE	LF	990.00
585.2	STONE FILL, CLASS B	CY	850.00
585.3	STONE FILL, CLASS C	CY	1,600.00
585.3401	SIMULATED STREAMBED MATERIAL	CY	580.00
593.411	GEOTEXTILE; PERM CONTROL CL.1, NON-WOVEN	SY	1,700.00
593.421	GEOTEXTILE; PERM CONTROL CL.2, NON-WOVEN	SY	4,100.00
603.0001	VIDEO INSPECTION	LF	13,900.00
603.00215	15" R.C. PIPE, 2000D	LF	93.00
603.00224	24" R.C. PIPE, 2000D	LF	260.00
603.00230	30" R.C. PIPE, 2000D	LF	220.00
603.30124	24" R.C. END SECTIONS	EA	1.00
603.36115	15" ALUMINIZED STEEL END SECTION	EA	11.00
603.36118	18" ALUMINIZED STEEL END SECTION	EA	5.00
603.36124	24" ALUMINIZED STEEL END SECTION	EA	3.00
603.36130	30" ALUMINIZED STEEL END SECTION	EA	1.00
603.80215	15" PLASTIC PIPE (SMOOTH INTERIOR)	LF	7,600.00
603.80218	18" PLASTIC PIPE (SMOOTH INTERIOR)	LF	2,600.00
603.80224	24" PLASTIC PIPE (SMOOTH INTERIOR)	LF	1,600.00
603.80230	30" PLASTIC PIPE (SMOOTH INTERIOR)	LF	1,600.00
604.0007	POLYETHYLENE LINER	EA	125.00
604.124	CATCH BASINS TYPE B, 4-FOOT DIAMETER	U	108.00
604.125	CATCH BASINS TYPE B, 5-FOOT DIAMETER	U	15.00
604.154	CATCH BASINS TYPE E, 4-FOOT DIAMETER	U	17.00
604.164	CATCH BASINS TYPE F, 4-FOOT DIAMETER	U	33.00
604.165	CATCH BASINS TYPE F, 5-FOOT DIAMETER	U	4.00
604.324	DRAINAGE MANHOLES, 4-FOOT DIAMETER	U	14.00
604.325	DRAINAGE MANHOLES, 5-FOOT DIAMETER	U	9.00

604.4	RECONSTRUCTING/ADJUSTING CATCH BASIN & DROP INLET	LF	2.00
604.9101	OUTLET CONTROL STRUCTURE	U	1.00
604.9102	OUTLET CONTROL STRUCTURE	U	1.00
605.506	6" PERF. CORR. POLYETHYLENE PIPE UNDERDRAIN	LF	3,350.00
606.1255	BEAM GUARDRAIL (TERMINAL UNIT TYPE EAGRT, TL 2) (STEEL POST)	U	9.00
606.12551	BEAM GUARDRAIL (TERMINAL UNIT TYPE EAGRT, TL 2 - 25') (STEEL POST)	U	1.00
606.141	BEAM GUARDRAIL (CURVED W/CRT POSTS)	LF	50.00
606.1471	BEAM GUARDRAIL (TERMINAL UNIT TYPE G-2) (MASH MID-SPLICE)	U	2.00
606.18001	31" W-BEAM GUARDRAIL WITH 8" OFFSET BLOCK (STEEL POST)	LF	1,300.00
606.417	PORTABLE CONCRETE BARRIER FOR TRAFFIC CONTROL	LF	2,300.00
606.84	ANCHOR FOR CURVED GUARDRAIL W/CRT POSTS	U	1.00
606.9522	TEMP. IMPACT ATTENUATION DEVICE (NON-REDIRECTIVE) TEST LEVEL 2	U	3.00
607.350	CHAIN LINK FENCE WITH VINYL COATED STEEL FABRIC, 5' HIGH	LF	4,900.00
607.4350	POST ASSEMBLIES FOR CHAIN LINK FENCE WITH VINYL CTD STL FABRIC, 5' HIGH	EA	90.00
607.64318	BAR WAY, 18 FT.	U	2.00
607.73512	12' OPENING DOUBLE GATE, CHAIN LINK VINYL COATED STEEL FABRIC, 5' HIGH	U	4.00
608.13	3" BITUMINOUS SIDEWALK (F)	SY	7,210.00
608.24	4" CONCRETE SIDEWALK (F)	SY	1,052.00
608.36	6" REINFORCED CONCRETE SIDEWALK (F)	SY	1,760.00
608.54	DETECTABLE WARNING DEVICES, CAST IRON	SY	110.00
609.01	STRAIGHT GRANITE CURB	LF	8,450.00
609.02	CURVED GRANITE CURB	LF	1,100.00
609.216	STRAIGHT GRANITE SLOPE CURB 6" HIGH	LF	6,750.00
609.226	STRAIGHT GRANITE SLOPE CURB WITH RADIAL JOINTS, 6" HIGH	LF	190.00
609.5	RESET GRANITE CURB	LF	6,900.00
609.930	SPECIAL STRAIGHT GRANITE CURB (REVEAL 12" - 18")	LF	85.00
609.936	SPECIAL STRAIGHT GRANITE CURB (REVEAL 18" - 24")	LF	85.00

614.331	3" STEEL CONDUIT	LF	90.00
614.511	CONCRETE PULL BOX 14"	EA	27.00
614.512	CONCRETE PULL BOX 18"	EA	3.00
614.523	MOLDED PULL BOX 17"X30"	EA	24.00
614.73114	3" PVC CONDUIT, SCHEDULE 40	LF	2,700.00
614.73118	3" PVC CONDUIT, SCHEDULE 80	LF	2,900.00
615.0301	TRAFFIC SIGN TYPE C	SF	726.80
615.0401	TRAFFIC SIGN TYPE AA	SF	1,352.80
615.0601	TRAFFIC SIGN TYPE CC	SF	487.00
615.10001	FULL TRAFFIC SIGN STRUCTURE	U	1.00
615.40001	SPAN WIRE TRAFFIC SIGN STRUCTURE	U	1.00
615.40002	SPAN WIRE TRAFFIC SIGN STRUCTURE	U	1.00
616.151	TRAFFIC SIGNAL (FIBER OPTIC)	U	1.00
616.152	TRAFFIC SIGNAL (FIBER OPTIC)	U	1.00
616.153	TRAFFIC SIGNAL (FIBER OPTIC)	U	1.00
616.154	TRAFFIC SIGNAL (FIBER OPTIC)	U	1.00
616.161	TRAFFIC SIGNALS (TEMPORARY)	U	1.00
618.61	UNIFORMED OFFICERS WITH VEHICLE	\$	327,000.00
618.7	FLAGGERS	HR	4,800.00
619.1	MAINTENANCE OF TRAFFIC	U	1.00
619.25	PORTABLE CHANGEABLE MESSAGE SIGN	U	6.00
619.63	TRUCK-MOUNTED IMPACT ATTENUATOR, TEST LEVEL 3	U	1.00
621.2	RETROREFLECTIVE BEAM GUARDRAIL DELINEATOR	EA	25.00
621.31	SINGLE DELINEATOR WITH POST	EA	8.00
621.32	DOUBLE DELINEATOR WITH POST	EA	8.00
621.61	FIBER OPTIC DELINEATOR	EA	5.00
622.1	STEEL WITNESS MARKERS	EA	59.00

625.2	CONCRETE LIGHT POLE BASES, TYPE B	EA	1.00
625.62	RESET/RELOCATE LIGHT POLE	EA	1.00
628.2	SAWED BITUMINOUS PAVEMENT	LF	2,400.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	161,000.00
632.01047	RETROREFLECTIVE PAINT PARKING LINE, 4"	LF	3,500.00
632.0106	RETROREFLECTIVE PAINT PAVE. MARKING, 6" LINE	LF	720.00
632.0118	RETROREFLECTIVE PAINT PAVE. MARKING, 18" LINE	LF	290.00
632.02	RETROREFLECTIVE PAINT PAVEMENT MARKING, SYMBOL OR WORD	SF	720.00
632.3104	RETROREFLECT. THERMOPLAS. PAVE. MARKING, 4" LINE	LF	6,200.00
632.3106	RETROREFLECT. THERMOPLAS. PAVE. MARKING, 6" LINE	LF	4,100.00
632.3108	RETROREFLECT. THERMOPLAS. PAVE. MARKING, 8" LINE	LF	970.00
632.3112	RETROREFLECT. THERMOPLAS. PAVE. MARKING, 12" LINE	LF	240.00
632.3118	RETROREFLECT. THERMOPLAS. PAVE. MARKING, 18" LINE	LF	680.00
632.32	RETROREFLECT. THERMOPLAS. PAVEMENT MARKING, SYMBOL OR WORD	SF	1,600.00
632.911	OBLITERATE PAVE. MARKING LINE, 12" WIDE & UNDER	LF	2,500.00
641.	LOAM	CY	1,900.00
643.21	FERTILIZER FOR REFERTILIZATION	LB	11,700.00
645.119	MULCH WITH TACKIFIERS	A	14.00
645.254	COIR FIBER ROLLS	LF	250.00
645.3	EROSION STONE	TON	2,000.00
645.44	TEMPORARY SLOPE MATTING TYPE D (WILDLIFE FRIENDLY)	SY	16,300.00
645.45	PERMANENT CHANNEL MATTING TYPE A	SY	4,200.00
645.482	STUMP GRINDINGS FOR TEMPORARY EROSION CONTROL	CY	1,500.00
645.51	HAY BALES FOR TEMPORARY EROSION CONTROL	EA	325.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	2,400.00
645.531	SILT FENCE	LF	23,000.00
645.611	BONDED FIBER MATRIX (BFM)	LB	65,000.00

645.7	STORM WATER POLLUTION PREVENTION PLAN	U	1.00
645.71	WATER QUALITY MONITORING, INSPECTION AND REPORTING	HR	1,100.00
645.73	STREAM DIVERSION PLAN	U	1.00
645.74	EROSION CONTROL PLAN	U	1.00
645.75	COLD WEATHER STABILIZATION PLAN	U	2.00
645.8105	EROSION CONTROL - PUMP (500 GAL/MIN DISCHARGE CAPACITY)	UWK	125.00
646.2	TURF ESTABLISHMENT WITHOUT MULCH	A	14.00
646.3	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	A	2.00
647.1	HUMUS	CY	4,600.00
647.29	WETLAND HUMUS	CY	850.00
662.282	DECOMMISSION MONITORING WELL	LF	155.00
670.02	SEDIMENT SUMP MEASURING BLOCK	EA	4.00
670.0441	RELOCATE HISTORIC FEATURE	U	1.00
670.066	MAILBOX SUPPORT ASSEMBLIES	EA	12.00
670.104	TEMPORARY PORTABLE LIGHTING	U	3.00
670.1619	DISCHARGE PERMIT FOR CONTAMINATED WATER	U	1.00
670.42	CONCRETE FILLED BOLLARD	EA	2.00
670.822	GNSS CONSTRUCTION INSPECTION EQUIPMENT	U	1.00
677.51012	12-STRAND SINGLE MODE FIBER OPTIC CABLE	LF	1,400.00
677.53	FIBER OPTIC SPLICE	EA	48.00
692.	MOBILIZATION	U	0.85
693.	ON-THE-JOB TRAINING OF UNSKILLED WORKERS	\$	1,200.00
697.11	INVASIVE SPECIES CONTROL AND MANAGEMENT PLAN	U	1.00
697.31	PROJECT OPERATIONS PLAN	U	1.00
697.41	CRITICAL PATH METHOD (CPM) ELECTRONIC SCHEDULE	U	1.00
698.11	FIELD OFFICE TYPE A	MON	35.00
698.2	PHYSICAL TESTING LABORATORY	MON	35.00

699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	100,000.00
1008.8	ALTERATIONS AND ADDITIONS AS NEEDED - WINTER MAINTENANCE	\$	10,000.00
1010.15	FUEL ADJUSTMENT	\$	100,000.00
1010.2	ASPHALT CEMENT ADJUSTMENT	\$	99,000.00
1010.3	QUALITY CONTROL QUALITY ASSURANCE (QC/QA) ASPHALT	\$	170,000.00
Bridge 053/110			
202.42	REMOVAL OF EXISTING PIPE OVER 24" DIAMETER	LF	45.00
207.1	COMMON CHANNEL EXCAVATION	CY	145.00
209.201	GRANULAR BACKFILL (BRIDGE) (F)	CY	2,765.00
209.5	GRANULAR BACKFILL FOR MSE WALLS	CY	1,465.00
403.21053	HBP-3/8" MIX, MACHINE METHOD (BRIDGE BASE)	TON	34.00
403.26	PAVEMENT JOINT ADHESIVE (BRIDGE BASE)	LF	420.00
503.101	WATER DIVERSION STRUCTURE	U	1.00
503.102	WATER DIVERSION STRUCTURE	U	1.00
503.201	COFFERDAMS	U	1.00
503.210	COFFERDAMS	U	1.00
503.211	COFFERDAMS	U	1.00
503.301	COFFERDAMS WITH SHEETING LEFT-IN-PLACE	U	1.00
504.1	COMMON BRIDGE EXCAVATION (F)	CY	3,610.00
508.	STRUCTURAL FILL	CY	110.00
509.1	MOBILIZATION AND DEMOBILIZATION OF DRILLED SHAFT DRILLING EQUIPMENT	U	1.00
509.2	DRILLED SHAFTS	LF	399.00
509.3	OBSTRUCTION REMOVAL	LF	10.00
509.4	ROCK SOCKET EXCAVATION	LF	160.00
509.51	CROSSHOLE SONIC LOGGING (CSL) TEST	EA	20.00
509.52	THERMAL IMAGE PROFILING (TIP) TEST	EA	20.00
509.63	DRILLED SHAFT REINFORCING STEEL, EPOXY COATED	LB	34,825.00

520.0302	CONCRETE CLASS AA APPROACH SLABS (QC/QA) (F)	CY	145.00
520.12	CONCRETE CLASS A, ABOVE FOOTINGS (F)	CY	585.00
520.7002	CONCRETE BRIDGE DECK (QC/QA) (F)	CY	320.00
534.3	WATER REPELLENT (SILANE/SILOXANE)	GAL	60.00
538.2	BARRIER MEMBRANE, PEEL AND STICK - VERTICAL SURFACES (F)	SY	100.00
538.5	BARRIER MEMBRANE, HEAT WELDED (F)	SY	32.00
538.6	BARRIER MEMBRANE, HEAT WELDED - MACHINE METHOD (F)	SY	623.00
541.2	PVC WATERSTOPS, NH TYPE 2 (F)	LF	115.00
541.5	PVC WATERSTOPS, NH TYPE 5 (F)	LF	225.00
544.2	REINFORCING STEEL, EPOXY COATED (F)	LB	153,200.00
544.21	REINFORCING STEEL, EPOXY COATED, MECHANICAL CONNECTORS (F)	LB	5,300.00
544.7	SYNTHETIC FIBER REINFORCEMENT	LB	725.00
547.	SHEAR CONNECTORS (F)	EA	2,805.00
548.21	ELASTOMERIC BEARING ASSEMBLIES (F)	EA	22.00
550.1	STRUCTURAL STEEL (F)	LB	128,000.00
559.41	ASPHALTIC PLUG FOR CRACK CONTROL (F)	LF	95.00
560.1001	PREFABRICATED COMPRESSION SEAL EXPANSION JOINT (F)	LF	115.00
562.1	SILICONE JOINT SEALANT (F)	LF	120.00
563.24	BRIDGE RAIL T4	LF	91.00
563.243	BRIDGE RAIL T4 WITH SNOW SCREENING	LF	59.00
564.1	BRIDGE LIGHTING SYSTEM	U	1.00
565.2401	BRIDGE APPROACH RAIL T4 (FULL HEIGHT)	LF	43.00
565.242	BRIDGE APPROACH RAIL T4 (STEEL POSTS)	U	3.00
583.3	RIPRAP, CLASS III	CY	233.00
592.1	MECHANICALLY STABILIZED EARTH RETAINING WALL	SF	2,550.00
592.121	MECHANICALLY STABILIZED EARTH SYSTEM FOR ABUTMENTS	U	2.00
593.411	GEOTEXTILE; PERM CONTROL CL.1, NON-WOVEN	SY	405.00

603.99072	72" TEMPORARY DRAINAGE PIPE	LF	58.00
605.906	6" PIPE UNDERDRAIN (CONTRACTORS OPTION)	LF	410.00
606.41741	PORTABLE CONCRETE BARRIER FOR TRAFFIC CONTROL - BRIDGE	LF	80.00
609.3	STRAIGHT GRANITE CURB (BRIDGE)	LF	135.00
609.311	STRAIGHT GRANITE CURB (BRIDGE), MODIFIED	LF	136.00
614.2329	3" 2-DUCT FIBERGLASS CONDUIT (BRIDGE)	LF	106.00
645.0001	TURBIDITY BARRIER	LF	120.00
692.	MOBILIZATION	U	0.14
1010.01	STEEL COST ADJUSTMENT	\$	20,000.00
1010.15	FUEL ADJUSTMENT	\$	70,000.00
1010.2	ASPHALT CEMENT ADJUSTMENT	\$	1,000.00
1010.41	QUALITY CONTROL QUALITY ASSURANCE (QC/QA) FOR CONCRETE	\$	30,000.00
Retaining Wall			
206.1	COMMON STRUCTURE EXCAVATION	CY	1,480.00
206.19	COMMON STRUCTURE EXCAVATION EXPLORATORY	CY	40.00
209.201	GRANULAR BACKFILL (BRIDGE) (F)	CY	815.00
503.203	COFFERDAMS	U	1.00
508.	STRUCTURAL FILL	CY	200.00
520.01	CONCRETE CLASS AA	CY	32.00
520.12	CONCRETE CLASS A, ABOVE FOOTINGS (F)	CY	235.00
520.213	CONCRETE CLASS B, FOOTINGS (ON SOIL) (F)	CY	325.00
534.3	WATER REPELLENT (SILANE/SILOXANE)	GAL	30.00
538.2	BARRIER MEMBRANE, PEEL AND STICK - VERTICAL SURFACES (F)	SY	470.00
541.2	PVC WATERSTOPS, NH TYPE 2 (F)	LF	85.00
541.3	PVC WATERSTOPS, NH TYPE 3 (F)	LF	35.00
544.	REINFORCING STEEL (F)	LB	22,600.00
544.2	REINFORCING STEEL, EPOXY COATED (F)	LB	38,500.00

562.1	SILICONE JOINT SEALANT (F)	LF	160.00
563.24	BRIDGE RAIL T4	LF	500.00
565.2401	BRIDGE APPROACH RAIL T4 (FULL HEIGHT)	LF	35.00
565.242	BRIDGE APPROACH RAIL T4 (STEEL POSTS)	U	2.00
605.906	6" PIPE UNDERDRAIN (CONTRACTORS OPTION)	LF	525.00
692.	MOBILIZATION	U	0.01
1010.01	STEEL COST ADJUSTMENT	\$	5,000.00
1010.15	FUEL ADJUSTMENT	\$	10,000.00

Town Of Derry - Participating Water Main

611.05206	6" CEMENT LINED DUCTILE IRON WATER PIPE, CL 52	LF	750.00
611.05212	12" CEMENT LINED DUCTILE IRON WATER PIPE, CL 52	LF	2,500.00
611.41504	STEEL CASING PIPE WITH 12" DI CARRIER PIPE	LF	85.00
611.70006	6" FITTING	EA	4.00
611.70012	12" FITTING	EA	60.00
611.71006	6" GATE VALVE WITH BOX	EA	2.00
611.71012	12" GATE VALVE WITH BOX	EA	10.00
611.81	HYDRANT	EA	11.00
611.814	REMOVE HYDRANT	EA	11.00
611.90001	ADJUSTING WATER GATES AND SHUTOFFS SET BY OTHERS	EA	35.00
1010.15	FUEL ADJUSTMENT	\$	10,000.00

Town of Derry - Participating Sewer Main

612.3105	SEWER MANHOLE, 5-FOOT DIAMETER	VF	40.00
612.3204	RECONSTRUCT/ADJUST SEWER MANHOLE, 4' DIAMETER	VF	35.00
612.61508	8" PVC SEWER PIPE (SDR 35)	LF	1,250.00
612.61521	21" PVC SEWER PIPE (SDR 35)	LF	500.00
1010.15	FUEL ADJUSTMENT	\$	10,000.00

Town of Derry - Non-Participating Water Main

611.05212	12" CEMENT LINED DUCTILE IRON WATER PIPE, CL 52	LF	300.00
-----------	---	----	--------

611.70012	12" FITTING	EA	4.00
611.71012	12" GATE VALVE WITH BOX	EA	2.00
1010.15	FUEL ADJUSTMENT	\$	5,000.00

Town of Derry - Non Participating Sewer Main

612.3105	SEWER MANHOLE, 5-FOOT DIAMETER	VF	16.00
612.61508	8" PVC SEWER PIPE (SDR 35)	LF	200.00
1010.15	FUEL ADJUSTMENT	\$	5,000.00