

TMC Monthly Operational Summary



Bureau of Transportation Systems Management & Operations (TSMO)

NH Department of Transportation's Mission


Transportation excellence enhancing the quality of life in New Hampshire.

Transportation Management Center's Mission

The Transportation Management Center's mission is to detect, verify, and respond to incidents that affect the state transportation network. It serves to improve traffic operations, provide the public with current, accurate and useful travel and commuter information that promotes safe and efficient travel, as well as facilitates the maintenance of New Hampshire's transportation system.

New Hampshire Transportation Management Center Coverage Areas by District

The State of New Hampshire is divided into six Districts and the New Hampshire Turnpike System comprising of approximately 9,266 lane miles.



Permanent ITS Equipment List

Closed-Circuit Television (CCTV) Cameras

| | 2023 Total | 2024 Total |
|--|------------|------------|
| CCTV cameras are used to pinpoint and monitor traffic events so that information can be disseminated quickly and accurately. | 146 | 146 |

CCTV cameras are used to pinpoint and monitor traffic events so that information can be disseminated quickly and accurately.



Dynamic Message Signs (DMS)

| | 2023 Total | 2024 Total |
|--|-----------------|-----------------|
| DMS aid in sending messages to motorists to inform them of traffic events that may be impacting their route ahead. | 57 | 57 |
| ¹ Additional DMS that TSMO uses during the winter season. | 16 ¹ | 16 ¹ |
| ² TSMO is responsible for an additional ~20 DMS for the department. | 20 ² | 20 ² |

DMS aid in sending messages to motorists to inform them of traffic events that may be impacting their route ahead.

¹ Additional DMS that TSMO uses during the winter season.

² TSMO is responsible for an additional ~20 DMS for the department.



Road Weather Information System (RWIS)

| | 2023 Total | 2024 Total |
|---|------------|------------|
| A RWIS collects and displays data from a network of pavement and atmospheric sensors to provide site-specific weather and pavement surface condition information. | 38 | 38 |

A RWIS collects and displays data from a network of pavement and atmospheric sensors to provide site-specific weather and pavement surface condition information.



Variable Speed Limit Sign (VSL)

| | 2023 Total | 2024 Total |
|--|------------|------------|
| VSL are speed limits that change based on road, traffic, and weather conditions. | 21 | 21 |

VSL are speed limits that change based on road, traffic, and weather conditions.



Motor Vehicle Detection System (MVDS)

| | 2023 Total | 2024 Total |
|--|------------|------------|
| MVDS are sensors that collect speed and volume data. | 39 | 39 |


MVDS are sensors that collect speed and volume data.



Summary


| | Current Month | 2024 Total |
|--|--------------------------------------|------------|
| Unplanned Incidents | Total Unplanned Incidents | |
| Operators log information about each unplanned incident including date/time, location, traffic impact, and duration. | 194 | 814 |
| Planned Incidents | Total Planned Incidents | |
| Operators log information about each planned incident including date/time, location, traffic impact, and duration. | 393 | 694 |
| Communication | Total Calls | |
| Operators log all incoming and outgoing control room communications, engaging various incident responders and stakeholders. | 4,831 | 17,562 |
| Work Zones Communication | Total Construction Calls | |
| Construction related activities or communication that is outside of planned incidents. | 2,006 | 5,026 |
| DMS Messages | Total Messages | |
| All changes to DMS are logged and reviewed. | 19,846 | 68,574 |
| Public Outreach | Total NHTMC.com Webpage Users | |
| Operators use New England 511 and nhtmc.com to inform motorists about traffic events and other road related information. | 1,307 | 6,330 |
| Storm Desk Activations | Total Storm Desk Activations | |
| The TSMO Storm Desk is activated during storm events. The Storm Desk is utilized as a single point of contact to stakeholders. | 1 | 5 |

Unplanned Incidents



Increased staffing within the TMC is necessary during normal business hours to better facilitate daily operations while also managing unplanned incidents. Incidents are tracked by the time at which the operators are notified of the start of the event.

Current Month - Incidents by Type



This graph shows the type of incident totals for the month.

Types of Incidents:


No Closure: No lane closures occurred during the incident.

Partial Closure: Only a part of the roadway was closed.

Full Closure: All lanes were closed during the incident.


Current Month - Incident Duration

This graph shows the duration history of incidents.




Current Month - Incident by Road

This graph shows which type of roadway the incidents occurred on.




Planned Events



Additional staffing within the TMC is necessary during peak hours to meet the demands of daily planned operations. Planned Events are tracked by the time at which the operators are notified of the start of the event.

Current Month - Incidents by Type




This graph shows the type of incident totals for the month.

Planned Events that impact the roadway, shoulder, or a ramp include events such as construction, bridge maintenance, or road maintenance. Each type could result in a partial closure or full closure.


Current Month - Incident Duration

This graph shows the duration history of incidents.




Current Month - Incident by Road

This graph shows which type of roadway the incidents occurred on.




Current Month - Calls by Type

Dispatchers receive different types of calls throughout the day. They log the type of call and review this information monthly.



Log Entries by Type


This graph shows the amount of log entries by type that TMC Operators have input into the Compass ATMS for the current month.



Work Zone Communication


Current Month – Construction Calls

This graph shows the different types of construction related calls that dispatchers received.




Incidents Occurring in Work Zones

This graph shows the total number of incidents reported on Work Zone Crash Reports from the Bureau of Construction.




Incidents Occurring in Work Zones by Location



The graph to the left shows the incidents occurring in work zones by district for the current month and for the current year.


The map to the right shows the current year total for incidents occurring in work zones by district.




■ District 6
 ■ District 5
 ■ District 4
 ■ District 3
 ■ District 2
 ■ District 1

DMS Messages

Current Month - Messages by Type



Total Messages - 2024



This graph shows the type of message that were relayed to the public by being displayed on the DMS.

This graph shows the total messages that were posted to DMS for the year so far.


Current Month - Total Messages Posted by Board

| | | | | | |
|----------------------------|------|--------------------------------|----|---------------------------------|---|
| ST S 3.4 FSDT | 5175 | 89 N 56.8 PSV2 - SWZ - M01 | 28 | 101 E 53.4 PSVT - SWZ - M07 | 5 |
| ST N 1.0 FSAT | 3908 | FEE N 5.2 PSVT | 28 | 393 W 1.9 PSV5 | 5 |
| 89S 3.4 FSV5 | 3188 | 89S 55.0 PSV2 | 27 | 89 S 28.0 PSV2 - SWZ - M07 | 5 |
| 93S 27.8 FSDT | 1926 | 4E 92.4 FSS6 | 25 | 89S 31.4 PSP5 | 5 |
| 293N 8.8 FSPT | 784 | 89S 42.6 PSV2 | 24 | 91 N VT 69.1 PSV VT - SWZ - M06 | 5 |
| 93N 23.4 FSD5 | 753 | FEE S 8.6 FSPT | 24 | ST S 6.6 PSVT - SWZ - M03 | 5 |
| 89S 10.8 FSV5 | 482 | 93S 32.5 FSVT | 23 | 293 S 5.1 PSVT - SWZ - M05 | 4 |
| 93S 23.4 FSD5 | 380 | 89N 35.5 FSV2 | 21 | 89 N 23.7 PSV2 - SWZ - M02 | 4 |
| 93 N 7.5 FSD5 | 281 | 93S 122.2 FSV1 | 21 | 89 N 26.4 PSV2 - SWZ - M03 | 4 |
| 95N 0.4 FSVT | 214 | 93S 48.0 FSV5 | 20 | 89 S VT 0.9 PSV VT - SWZ - M05 | 4 |
| 95S 15.4 FSDT | 193 | 89 S 58.7 PSV2 - SWV - M07 | 18 | 91 S VT 70.6 PSV VT - SWZ - M04 | 4 |
| ST S 24.4 FSVT | 184 | 95S 3.4 FSPT | 18 | 93N 57.6 FSS3 | 4 |
| 93 N 0.5 FSDT | 180 | ST N 7.0 SKVT | 17 | 95 N 0.5 FSD MTA | 4 |
| 95S 7.6 FSDT | 161 | 95MN 12.8 PSVT | 16 | 95 N 1.0 BOS DA MTA | 4 |
| 89N 1.8 FSV5 | 148 | 89 N 57.2 PSV2 - SWZ - M02 | 15 | 89 N 28.4 PSV2 - SWZ - M08 | 3 |
| 95N 3.0 FSDT | 122 | 16N 35.0 PSV3 | 14 | 93 S 17.8 VSL SE 5 | 3 |
| 93S 7.2 FSD5 | 88 | 89 N 59.8 PSV2 - SWZ - M03 | 14 | 93 SM 17.8 VSL SE 5 | 3 |
| ST N 16.7 PSVT - SWZ - M05 | 71 | ST N 4.3 PSVT - SWZ - M01 | 14 | 95N 4.8 PSVT | 3 |
| 293S 4.8 FSDT | 60 | 101 W 62.5 FSV5 | 13 | FEE N 9.0 PSVT - SWZ - M-03 | 3 |
| 93N 32.9 FSST | 52 | 89 N 57.3 FSS 2 | 12 | FEE S 17.8 PSVT | 3 |
| ST N 4.4 FSST | 48 | 89N 43.8 PSV2 | 12 | ST S 19.25 PSVT - SWZ - M08 | 3 |
| 93N 36.2 FSVT | 47 | 12 N 9.4 PSVT - SWZ - M03 | 11 | 101 E 74.8 FSV6 | 2 |
| 93S 117.6 FSA1 | 47 | 16S 75.4 FSV3 | 10 | 95 N 16.1 BOS DA T | 2 |
| 93S 36.5 FSST | 46 | ST N 19.2 PSVT | 10 | 89 N 23.2 PSV2 - SWZ - M01 | 1 |
| FEE S 3.8 FSDT | 45 | FEE S 17.5 FSVT- SWZ - M-01 | 9 | 93 N 12.4 VSL SE 5 | 1 |
| 89N 54.9 FSS2 | 44 | ST N 16.2 PSVT - SWZ - M06 | 9 | 93 NM 12.4 VSL SE 5 | 1 |
| FEE N 1.2 FSVT | 44 | 101 E 0.8 PSVT - SWZ - M01 | 8 | 95 N 0.1 BOS DA MTA | 1 |
| 101 E 52.8 FSV5 | 42 | 101 W 54.3 PSVT - SWZ - M06 | 8 | 95 N 0.6 BOS DA MTA | 1 |
| 93S 68.8 FSV3 | 42 | 89 S 31.9 PSV2 - SWZ - M06 | 8 | 95 N 14.7 BOS DA T | 1 |
| 293S 1.4 FSD5 | 41 | ST S 18.25 PSVT - SWZ - M07 | 8 | 95 N 14.8 BOS DA T | 1 |
| 93N 99.6 FSA3 | 41 | ST S 7.8 FSAT | 8 | 95 N 15.3 BOS DA T | 1 |
| 93S 85.4 FSV3 | 40 | 12A S - Appleton PSVT - SWZ | 7 | 95 N 15.6 BOS DA T | 1 |
| 93N 82.6 FSV3 | 37 | 93S 43.3 PSV5 | 7 | ST S 11.6 FSAT | 1 |
| 93S 39.0 FSV5 | 37 | Mill Street W PSVT - SWZ - M04 | 7 | | |
| 95N 14.8 FSDT | 37 | ST N 5.0 PSVT - SWZ - M02 | 7 | | |
| WA W 0.5 FSST | 37 | 89 N 30.2 PSV2 - SWZ - M04 | 6 | | |
| 89S 57.7 FSS2 | 36 | 89 S 31.0 PSV2 - SWZ - M09 | 6 | | |
| 93N 76.4 FSV3 | 36 | 89 S 32.5 PSV2 - SWZ - M05 | 6 | | |
| 89N 18.4 FSS5 | 33 | FEE N 14.0 PSVT - SWZ - M-02 | 6 | | |
| 4 W 98.9 FSS6 | 31 | RW W 0.7 PSVT - SWZ - M-04 | 6 | | |
| 4E 98 FSA6 | 31 | ST S 6.9 PSVT - SWZ - M04 | 6 | | |


Public Outreach

1,307 Users (Current Month) - NHTMC Website (www.nhtmc.com)

New/Returning Visitors



Desktop/Mobile Visitors



This graph shows the ratio of new/ returning users that visited the NHTMC website. A new visitor is a user accessing the website for the first time. A returning visitor is a user who has accessed the website earlier.

This graph shows the ratio of desktop/mobile visitors that accessed the NHTMC website.



24,628 Total NewEngland511 Accounts

www.NewEngland511.org Notifications

