

# THE STATE OF NEW HAMPSHIRE DEPARTMENT OF TRANSPORTATION



William Cass, P.E.
Commissioner

Assistant Commissioner

Andre Briere, Colonel, USAF (RET)

Deputy Commissioner

David Rodrigue, P.E.

August 1, 2023

Joint Office of Energy and Transportation

Re: State of New Hampshire Plan for Electric Vehicle Infrastructure Deployment 2023 Update

The New Hampshire Department of Transportation (NHDOT) has prepared an update to the State of New Hampshire Plan for Electric Vehicle Infrastructure Deployment (Plan) for your review and approval. The original Plan was developed in accordance with the Bipartisan Infrastructure Law (BIL) enacted as the Infrastructure Investment and Jobs Act (IIJA), Public Law 117-58 and was updated with guidance from the State Plan Update for Electric Vehicle (EV) Infrastructure Deployment Template released by FHWA. This updated Plan provides information on tasks completed and outlines recommended actions and strategies that NHDOT will undertake to strategically deploy EV charging infrastructure along Alternative Fuel Corridors throughout New Hampshire.

New Hampshire's Plan was developed collaboratively by NHDOT and New Hampshire Department of Environmental Services (NHDES,) along with many other State, Regional, and Local stakeholders. The final version of the plan submitted today will be posted for additional comment. Based on the feedback received the plan may be amended to incorporate additional recommendations.

NHDOT appreciates the opportunity to work with the Joint Office in developing this plan and guidance provided by your staff. We look forward to continuing this partnership with you during the deployment phase of the program.

If you have questions, please call.

Sincerely,

David M. Rodrigue, P.E. Assistant Commissioner

cc:

William J. Cass, P.E., Commissioner

William J. Oldenburg, P.E., Director of Project Development

Michael J. Servetas, P.E., Director of Operations Michael J. Mozer, P.E., NEVI Program Manager



# STATE OF NEW HAMPSHIRE PLAN FOR ELECTRIC VEHICLE INFRASTRUCTURE DEPLOYMENT

Original: AUGUST 1<sup>ST</sup>, 2022 Update No. 1: AUGUST 1<sup>ST</sup>, 2023

# **Table of Contents**

| Introduction                                     | 4  |
|--|----|
| State Agency Coordination                        | 9  |
| Public Engagement                                | 11 |
| Plan Vision and Goals                            |    |
| Contracting                                      |    |
| Civil Rights                                     |    |
| Existing and Future Conditions Analysis          |    |
| EV Charging Infrastructure Deployment            | 39 |
| Implementation                                   |    |
| Equity Considerations                            |    |
| Labor and Workforce Considerations               |    |
| Physical Security and Cybersecurity              | 58 |
| Program Evaluation                               |    |
| Discretionary Exceptions (if any)                |    |
| List of Acronyms                                 |    |
| Appendix A: Supporting Materials (As Applicable) |    |

# **List of Tables**

| Table 1. Summary of Changes - 2023 Update to NEVI Plan  | 7  |
|---|--|
| Table 2 Charging Sites Receiving VW Trust Funding   |  |
| Table 3. Charging Density Breakdown by AFC in NH  | 28   |
| Table 4. Transit Fleet Electric Vehicle Transitions   | 30   |
| Table 5. Vehicles Registered in 2022 (State of NH)  | 32   |
| Table 6 Summary of NH Laws/Regulations  | 35   |
| Table 7. New Hampshire EV Funding Opportunities   | 37   |
| Table 8: Electrify America Stations Under Construction  | 39   |
| Table 9: Tesla Stations Under Construction  | 39   |
| Table 10: Planned Stations with CFI Grant Program   | 40   |
| Table 11. Summary of Potential Charger Locations (NH NEVI Charger Network)  | 42   |
| Table 12: Strategy for Tracking Benefits  |  |
| Table 13. Program Evaluation Performance Indicators and Units of Measurement                                      | 60   |
| List of Figures   |  |
|   | _  |
| Figure 1 Anticipated Dates and Key Milestones   |  |
| Figure 1 Anticipated Dates and Key MilestonesFigure 2. Evaluation Criteria for Effectiveness of Public Engagement | 14   |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16   |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>18                                     |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>18<br>22                               |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>18<br>22                               |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>18<br>22<br>26                               |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>18<br>22<br>26<br>29                         |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>18<br>22<br>26<br>29<br>31                   |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>22<br>26<br>29<br>31<br>40             |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>18<br>22<br>26<br>29<br>31<br>40             |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>18<br>22<br>29<br>31<br>40<br>41<br>48       |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>22<br>26<br>31<br>40<br>41<br>51       |
| Figure 1 Anticipated Dates and Key Milestones   | 14<br>16<br>22<br>26<br>31<br>40<br>41<br>41<br>51 |

# Introduction

The State of New Hampshire Plan for Electric Vehicle Infrastructure Deployment (Plan) has been developed in accordance with the National Electric Vehicle Infrastructure (NEVI) formula program requirements and serves as a framework to meet the charging infrastructure needs of increasing electrification within the State of New Hampshire. The number of electric vehicles (EV) registered within the State has consistently grown and comprehensive EV infrastructure will support travel throughout the State of New Hampshire as well as from other states. The NEVI program apportioned approximately \$17 million of funding allocated over the next five years (\$2,556,450 for FY 2022 \$3,678,794 FYs 2023, 2024, 2025, 2026) <sup>1</sup>. The funding will enable growth of EV infrastructure development throughout the State by serving as a resource for a comprehensive EV charging infrastructure network that is intended to equitably support the needs of the State.

New Hampshire intends to administer the NEVI funds to develop direct current fast charging (DCFC) stations along the State's Alternative Fuel Corridors (AFCs) beginning with the interstate routes, I-93, I-95, and I-89, and Everett Turnpike. Followed by NH-9, NH-12, NH 101, NH 9/US 202 from I-89 to Keene, NH 11, US 4/NH 9, NH 16, US 302, and US 2 through a series of RFPs. The RFPs) will include general regions where charging stations must be located as well as relevant specifications to fulfill this Plan and meet NEVI requirements. The Proposer will be responsible for identifying final charging station locations, final design details, construction, maintenance, and operations of EV charging stations in accordance with the RFPs. New Hampshire Department of Transportation (NHDOT) will oversee these RFPs, with consultant assistance. NHDOT considers the Plan as a living document, and it will be reviewed annually for any necessary updates to reassess corridor priorities based on completed investments and stakeholder engagement. Reviews will include a gap analysis to assess implementation progress.

This is the first annual update of the NEVI plan that was originally dated August 1st, 2022.

# Dates of State Plan for Electric Vehicle Infrastructure Deployment Development and Adoption

NHDOT intends to implement the Plan within the 5-year funding cycle of the NEVI program. Figure 1 highlights the major milestones and deliverables of the Plan. This schedule will be updated based on further identification of gaps and priorities for Plan implementation as needed.

#### FY 2022

NHDOT established an EV Working Committee to oversee and participate in the development of the Plan. New Hampshire Department of Environmental Services (DES)

4

<sup>&</sup>lt;sup>1</sup> The National Electric Vehicle Infrastructure (NEVI) Formula Program Guidance (dot.gov)

previously submitted several rounds of AFCs with concurrence from NHDOT that are included in this Plan (refer to Figure 3). The Plan was approved by the Federal Highway Administration (FHWA) on September 15,2022, NHDOT assembled an in-house team and an engineering consultant partner to assist the EV Working Committee in overseeing the EV charging station deployment process.

#### FY 2023

The EV Working Committee and other stakeholders including utility companies have finalized the committee's goals, objectives, roles, and responsibilities. The Final EV Working Committee is coordinating work on the interstate RFP(s) development and providing periodic updates to the Commissioner's office, Transportation Council, and the governor's office. Final RFPs will be distributed to the EV industry. Proposals will be received and evaluated and sent to Governor and Council for approval.

#### FY 2024

NHDOT will monitor design and implementation methodology. The EV Working Committee will update the Plan and finalize the EV charging station locations along the remaining AFCs. Construction of awarded locations from FY 2023 is expected to begin. Additional RFPs will be developed and distributed for the remaining locations. Proposals will be received and evaluated and sent to Governor and Council for approval.

#### FY 2025

NHDOT is anticipating construction to continue. Multiple EV stations are anticipated to be operational and ready for use.

#### FY 2026

All EV charging stations are anticipated to be ready for use by the end of FY 2026 and the EV Working Committee will update the Plan and conduct gap analysis to identify any discontinuity in the EV charging network accordingly.

#### FY 2027 and Beyond

Maintenance period expires five years from date the station opens. Contract is due for renewal.

#### **ONGOING**

Ongoing efforts throughout the 5-year period include EV Working Committee meetings and iterative public engagement. The EV Working Committee will update stakeholders and the public regularly on planning and implementation progress and provide opportunities for feedback. Potential funding opportunities and partnership opportunities will be continuously identified, including discretionary grants, and updated in the Plan during the annual review.

FY 2022 FY 2023 FY 2024

**FY 2026** 

FY 2027

ONGOING

- Established an EV Working Committee
- Obtained Preliminary AFCs from DES
- Completed State Plan for EV Infrastructure Deployment on August 1st, 2022
- September 15th, 2022 Date of plan approval
- In-house EV Working Committee established and consultant partner selected to oversee EV charging station deployment process
- Finalized EV working committee within NHDOT comprising of interagency stakeholders
- Finalized goals, objectives, roles, and responsibilities
- Contract mechanism currently under development
- First EV Charging RFP being developed and scheduled to be advertised in October 2023
- Update EV infrastructure Deployment Plan if needed
  EV Charging Station locations finalized
- Monitor design and implementation methodology
- Construction begins on EV charging stations
- EV Charging Station Construction ContinuesMonitor construction
- Review and update (if needed) EV Infrastructure Deployment Plan
- Multiple EV charging stations available for public use
- Review and update (if needed) EV Infrastructure Deployment Plan
- All EV charging stations available for public use

• Contracts expire and are due for renewal at the end of 5 years from operation

Maintenance period expires five years after operation of station

- Regular EV working committee meetings
- Public engagement
- Reporting as discussed in the Implementation section
- · Identify federal grants and other funding sources

Figure 1 Anticipated Dates and Key Milestones

# 6

# **Updates from Prior Plan**

All sections have been updated from the prior plan to a certain extent, with the most significant updates being in the EV Charging Infrastructure Deployment and Physical Security and Cybersecurity sections. These two sections had large sections added or developed, while most other sections received updated charts and figures alongside some added information in accordance with the FHWA's <u>State Plan Update for Electric Vehicle (EV) Infrastructure Deployment Template</u>.

**General plan updates:** The plan has been updated to reflect events that have transpired since August 2022. Changes include changing the tense from future to present or past based on the status of the event.

The following is a summary of sections that have been changed or added

Table 1. Summary of Changes - 2023 Update to NEVI Plan

| Section Title   | Nature of Update   |  |
|---|--|--|
| Introduction  | Existing section – minor updates                           |  |
| Dates of State Plan for Electric Vehicle Infrastructure | Existing section – minor updates                           |  |
| Deployment Development and Adoption                     | <ul> <li>Updated deployment status of events in</li> </ul> |  |
|   | 2022, 2023 (as of July 2023)                               |  |
| Updates from Prior Plan                                 | New section – new write-up                                 |  |
| State Agency Coordination                               | No new updates   |  |
| Interagency Working Group                               | Existing section – minor updates                           |  |
| MOU with Other Agencies                                 | Existing section – minor updates                           |  |
| Public Engagement                                       | Existing section – minor updates                           |  |
| Community Engagement Outcomes Report                    | New section – new write-up                                 |  |
| Tribal Engagement                                       | New section – new write-up                                 |  |
| Utility Engagement                                      | New section – new write-up                                 |  |
| Site-Specific Public Engagement                         | New section – new write-up                                 |  |
| Plan and Vision and Goals                               | Existing section – No new updates                          |  |
| Plan Vision   | Existing section - No new updates                          |  |
| Plan Goals  | Existing section – No new updates                          |  |
| New Hampshire's Five-year NEVI Action Plan              | Existing section – No new updates                          |  |
| Contracting   | Existing section – minor updates                           |  |
| Status of Contracting Process                           | New section – new write-up                                 |  |
| Awarded Contracts                                       | New section – new write-up                                 |  |
| Scoring Methodologies Used                              | New section – new write-up                                 |  |
| Plan for Compliance with Federal Requirements           | New section – new write-up                                 |  |
| Civil Rights  | Existing section - No new updates                          |  |
| Compliance with Title VI of the Civil Rights Act        | Existing section - No new updates                          |  |
| Compliance with ADA                                     | Existing section – No new updates                          |  |
| Compliance with Section 504                             | Existing section – No new updates                          |  |
| Existing and Future Conditions Analysis                 | Existing section – minor updates                           |  |
| AFC Designations  | Existing section – major updates                           |  |
|   | <ul> <li>US-3 removed as a pending AFC</li> </ul>          |  |
|   | Figure revised   |  |
| Existing Charging Stations Along AFCs                   | Existing section – major updates                           |  |
| - 55  | <ul> <li>Number of charging stations along the</li> </ul>  |  |
|   | corridor updated   |  |
|   | <ul> <li>Acknowledged VW Trust</li> </ul>                  |  |

| Section Title  | Nature of Update   |
|--|--|
| State Travel Patterns, Public Transportation Needs,                              | Existing section – major updates                             |
| Freight, and Other Supply Chain Needs  | Public transportation section added                          |
|  | Freight section added  |
| Historical EV Adoption Rates   | Existing section – minor updates                             |
| Known Challenges and Risks   | Existing section – major updates                             |
| _  | NH state-specific risks added                                |
| State, Regional, and Local Policy  | Existing section – minor updates                             |
|  | Table revised  |
| Funding Sources  | Existing section – major updates                             |
|  | Table revised  |
| FY23-26 Infrastructure Deployments   | Existing section – minor updates                             |
| EV Charging Infrastructure Deployment  | N/A  |
| Planned Charging Stations  | Existing section – major updates                             |
|  | <ul> <li>Electrify America &amp; CFI Grant tables</li> </ul> |
|  | added  |
|  | Tesla table updated  |
| Planning Towards a Fully Built Out Determination                                 | Existing section – major updates                             |
|  | Entire section updated                                       |
|  | Site selection altered                                       |
|  | <ul> <li>Figures and tables updated</li> </ul>               |
| Implementation   | Existing section - No new updates                            |
| Strategies for EVSE Operations and Maintenance                                   | Existing section – minor updates                             |
| Strategies for Identifying EV Charger Service Providers and Station Owners       | Existing section – No new updates                            |
| Strategies for EVSE Data Collection and Sharing                                  | Existing section – minor updates                             |
| Strategies to Address Resilience, Emergency Evacuation, Seasonal Needs           | Existing section – minor updates                             |
| Strategies to Promote Strong Labor, Safety, Training, and Installation Standards | Existing section – minor updates                             |
| Equity Considerations  | Existing section – minor updates                             |
| Identification and Outreach to DACs in the State                                 | Existing section – minor updates                             |
| Process to Identify, Quantify, and Measure Benefits                              | Existing section - major updates                             |
| to DACs  | <ul> <li>Figures updated</li> </ul>                          |
|  | Table updated  |
| Labor and Workforce Considerations   | Existing section – major updates                             |
|  | Paragraph rewritten and figure added                         |
| Physical Security and Cybersecurity  | N/A  |
| Physical Security  | New section - new write-up                                   |
| Cybersecurity  | New section – new write-up                                   |
| Program Evaluation   | Existing section – minor updates                             |
| Discretionary Exceptions   | Existing section – major updates                             |
|  | New site selection includes one needing                      |
|  | a discretionary exception                                    |
| Appendix A: Supporting Materials   | Existing section – major updates                             |
|  | <ul> <li>New EV charging sites added</li> </ul>              |

# **State Agency Coordination**

# **Interagency Working Group**

The Plan is being jointly developed by NHDOT and NHDES. As the lead agency, NHDOT has provided existing conditions analyses and funding input, identified key stakeholders, performed public outreach, and gathered input on local policies for charging infrastructure. DES, through their experience with previous EV Charging Infrastructure RFPs, provided information from these previous projects to be used in the development of this Plan.

# Memoranda of Understanding (MOU) with Other Agencies

Additional entities have also been engaged to support this work. These agencies met weekly from April 2022 through July 2022 to ensure goals were aligned and to oversee Plan development. Each state agency involved in development of this Plan is listed in this section. These agencies aided in the development of the Plan through active collaboration. No formal MOUs have been signed throughout this collaborative process.

#### Department of Transportation (NHDOT)

*Mission*: New Hampshire DOT has a mission to provide transportation excellence to enhance the quality of life in New Hampshire. This excellence is fundamental to the State's goals of sustainable economic development and land use, protection and enrichment of the environment, and preservation of the State's unique character and quality of life.

#### Department of Environmental Services (DES)

Mission: New Hampshire Department of Environmental Services has a mission to help sustain a high quality of life for all citizens by protecting and restoring the environment and public health in New Hampshire.

DES was the lead agency on the recent "Volkswagen Environmental Mitigation Trust Direct Current Fast Charging Infrastructure" (VW Trust) EV charging RFP which called for respondents to identify DCFC stations located along identified high priority corridors. Proposals were evaluated and scored in 2022. Contracts were negotiated and submitted to Governor and Council for approval in 2023. There is approximately \$4,500,000 allocated for the selected proposals in the form of a reimbursement program. DES has released a list of sites that were selected through their RFP process to spend VW Trust dollars on EVSE concurrent with Plan development. DES and NHDOT are working closely to ensure that infrastructure and locations are coordinated and appropriate for New Hampshire.

Table 2 Charging Sites Receiving VW Trust Funding

| State EV Charging Location Unique ID* | Route<br>(note<br>AFC) | Location (Address if known)  | Number of<br>Ports | Estimated<br>Year<br>Operational | Funding<br>Amount<br>Requested | Owner                       | New<br>Location<br>or<br>Upgrade |
|---------------------------------------|------------------------|--|--------------------|----------------------------------|--------------------------------|-----------------------------|----------------------------------|
| Unknown                               | NH-16<br>(AFC)         | Errol General Store<br>76 Main St, Errol                                   | 2                  | 2023                             | \$132,350                      | Errol<br>General<br>Store   | New                              |
| Unknown                               | I-93 (AFC)             | Unidentified Hooksett<br>Irving Oil Gas Station                            | Unknown            | Unknown                          | \$647,813                      | Irving Oil                  | New                              |
| Unknown                               | I-93 (AFC)             | Unidentified Hooksett<br>Irving Oil Gas Station                            | Unknown            | Unknown                          | \$680,922                      | Irving Oil                  | New                              |
| Unknown                               | NH-<br>11/103          | Cumberland Farms<br>336 Washington St.,<br>Claremont                       | 2                  | 2024                             | \$409,747                      | Cumberland<br>Farms         | New                              |
| Unknown                               | US-2<br>(AFC)          | Jiffy Mart<br>202 Main St, Lancaster                                       | 2                  | 2024                             | \$227,474                      | Global<br>Montello<br>Group | New                              |
| Unknown                               | NH-16<br>(AFC)         | Unidentified Irving Oil gas station, Ossipee                               | Unknown            | Unknown                          | \$270,516                      | Irving Oil                  | New                              |
| Unknown                               | I-89 (AFC)             | Unidentified Irving Oil gas station, Warner                                | Unknown            | Unknown                          | \$264,282                      | Irving Oil                  | New                              |
| Unknown                               | US-3                   | La Perle IGA<br>64 Trooper Leslie G<br>Lord Memorial Highway,<br>Colebrook | 1                  | 2024                             | \$275,900                      | Revision<br>Energy          | New                              |
| Unknown                               | NH-9<br>(AFC)          | Monadnock Food Co-op<br>34 Cypress Ct, Keene                               | 2                  | 2024                             | \$308,710                      | Monadnock<br>Food Co-Op     | New                              |
| Unknown                               | NH-16                  | Unidentified Dover<br>Grocery Store  | Unknown            | Unknown                          | \$279,430                      | Revision<br>Energy          | New                              |
| Unknown                               | NH-101                 | Unidentified Epping<br>Grocery Store                                       | Unknown            | Unknown                          | \$275,876                      | Revision<br>Energy          | New                              |
| Unknown                               | US-202                 | Alltown<br>113 Grove St,<br>Peterborough                                   | Unknown            | Unknown                          | \$253,719                      | Global<br>Montello<br>Group | New                              |

#### Department of Energy (DoE)

Mission: The Department of Energy was created by the NH legislature to promote and coordinate energy policies and programs in the State. It was established effective July 1, 2021.

#### Department of Business and Economic Affairs (DBEA)

Mission: The Department of Business and Economic Affairs is dedicated to enhancing the economic vitality of the State of New Hampshire and promoting the State as a destination for domestic and international visitors. The DBEA has resources for New Hampshire businesses looking to grow and prosper, as well as for businesses beyond New Hampshire borders looking to expand or relocate.

# **Public Engagement**

The objective of Public Engagement is to capture stakeholder and public feedback supporting the development of a Plan that meets local needs and best supports New Hampshire in its efforts to advance local electric vehicle charging infrastructure. NHDOT's EV Working Committee engaged with internal and external stakeholders to develop two surveys, one for key stakeholders and the other for the public. Both surveys will be finalized and circulated this fall to provide further input on EV charging needs and preferred locations throughout the State.

There are three primary types of information that will be collected as part of the surveys, in conjunction with outreach activities, conducted as part of the Plan development process:

- Stakeholder Traits and Characteristics Relevant to Electrification This entails
  assessing characteristics such as concern for the environment or interest in
  electrification, as these have been shown to strongly correlate with the likelihood of
  EV adoption. Understanding a community's qualitative inclinations towards
  electrification can provide support and context for assessing future uptake of electric
  vehicles.
- Electrification Priorities Understanding electrification priorities is key to making
  infrastructure investment decisions that support community needs. This includes
  assessing locations where people are more likely to want to charge their vehicles
  (e.g., shopping centers, workplaces, etc.) or what they will need to see before they
  are comfortable adopting electric vehicles (e.g., charging network along main
  corridors, improved range of vehicles, etc.).
- Electrification Barriers Addressing electrification barriers is essential for mitigating
  risks for successful EV charging infrastructure deployment or usage early during plan
  development. Survey questions aim to understand barriers that communities may
  experience, such as a lack of access to charging, insufficient awareness or comfort
  with electric vehicles, or a lack of capital to purchase a vehicle that prevent them
  from accessing charging.

# **Community Engagement Outcomes Report**

Public involvement and public participation are fundamental components of transportation planning and need to take place throughout the entire course of the process, to ensure adequate public participation and support successful outcomes.

Initial public input was obtained through the NH Transportation Council on April 22, 2022, and May 20, 2022. The New Hampshire transportation council was created under NH RSA 238-A:2 which states:

"There is hereby established the New Hampshire transportation council for the general purpose of defining, in partnership with the department of transportation and the New Hampshire general court, a 21st century, multimodal transportation network and evaluating new modes or technologies that would improve the efficiency and accessibility of any transportation source. The council shall be administratively attached, pursuant to RSA 21-G:10, to the department of transportation."

The first meeting discussed the need for electric vehicles/electric vehicle charging and introduced the NEVI Plan and its associated requirements. The second meeting was a Public Hearing, soliciting feedback on the Plan's vision and goals along with suggested EV charging locations throughout the State.

22 verbal comments were received during the May 20, 2022, public hearing. Written communication was accepted after the meeting through June 10, 2022, and a total of 107 written comments were subsequently received via email or hard copy. General comments focusing on the Plan included the following:

- Several comments related to the rural nature of New Hampshire and the need to
  ensure chargers are placed equitably, allowing for tourism, and addressing "range
  anxiety". Some comments indicated a preference for relaxing the requirement of
  maintaining chargers within a mile of the alternative fuel corridors and utilizing
  downtown destination charging instead.
- 2. Rural areas may lack the utility infrastructure and three-phase power to support a robust EV Charging program. Consideration should be given to seeking an exemption to the NEVI minimum of 4 chargers. Additionally, the use of solar or large capacity batteries should be considered in these areas to reduce or eliminate the demand charge and recharge at a lower cost point.
- 3. Legislation in New Hampshire does not address demand charges. Demand charges and increased charging rates may make fast charging cost prohibitive in certain areas or not provide a return on investment in the early phases of the program. NHDOT should consider subsidizing the long-term operational costs of these chargers.
- 4. Locating DC Fast Chargers near multi-family/mixed use developments to support individuals that do not own their own home and cannot install Level 2 chargers at their residence. Priority should be given to locating fast chargers in Environmental Justice (EJ) communities, consistent with Justice 40 goals.
- Some respondents were opposed to spending any public funding on EV infrastructure.

As a part of the required future annual Plan submittal, NHDOT will report on community engagement activities regarding type, date, communities represented, and number of attendees. The following communities will be targeted in the next year:

- General public
- Governmental entities
- Labor organizations
- Private sector/industry representatives
- Representatives of the transportation and freight logistics industries
- State public transportation agencies
- Urban, rural, and underserved or disadvantaged communities

Additionally, upcoming annual reports will include public and community responses to the Plan.

Several resources have been developed and/or identified for future development to support public outreach throughout the ongoing Plan development process. These resources are briefly described in this subsection.

**Website:** A website was developed to host past and future information related to the Plan. The website can be found at the following link:

#### EV Charging Infrastructure | Media Center | NH Department of Transportation

**Interactive Map:** An interactive map hosted on an ArcGIS platform will be developed that facilitates the viewing of AFCs and proposed charging stations. The interactive map will function as a feedback-gathering tool where the public can provide their feedback by 'liking' a proposed location and making alternative suggestions by dropping 'pins.' This map will be incorporated into the public survey in the upcoming months.

**Social Media:** NHDOT will utilize its website and social media account to engage the public as the Plan advances and to keep the public informed on where chargers will be placed along with construction scheduling. This information will be communicated through the NHDOT website and social media accounts.

**Email:** An email address <u>ev-infrastructure@dot.nh.gov</u> was created to collect public feedback and is checked periodically by the EV Working Committee to maintain ongoing public outreach efforts.

To evaluate the effectiveness of public engagement efforts, the following items will be considered.




Figure 2. Evaluation Criteria for Effectiveness of Public Engagement

# **Tribal Engagement**

Given the proposed sites and locations of current federally recognized tribes, tribal engagement is not applicable for this plan.

# **Stakeholders Involved in Plan Development**

NHDOT has been coordinating with various stakeholders throughout the development of the Plan. Stakeholder organizations within New Hampshire include but are not limited to the following:

- Metropolitan Planning Organizations and Regional Transportation Planning Organizations;
  - North Country, Upper Valley Lake Sunapee, Lakes Region, Central, Strafford, Southwest, Southern, Nashua, Rockingham.
- NH Department of Energy;
- NH Department of Environmental Services and Clean Cities Coalition;
- NH Department of Business and Economic Affairs;
- State Public Utility Commission;
- State public transportation agencies;
- Utilities (Eversource, Unitil, New Hampshire Electric Coop, and Liberty Utilities);
- EV industry organizations and EV advocacy groups, as applicable;
- Gas station owners and operators;
- Emergency management and public safety agencies;

- DNCR Department of Natural and Cultural Resources;
- Hillsborough Energy Commission;
- Lebanon Energy Advisory Subcommittee.

Organizations in **bold** denote Justice 40 coordination efforts.

NHDOT has been coordinating with adjacent states and Quebec throughout Plan development through direct phone calls, Joint Office office-hours, AASHTO EV Working Group, and NASTO EV Working Group.

The updated NH Justice 40 areas as of November 2022 are shown in Figure 3




Figure 3: Justice 40 Areas in NH as of August 2023

# **Utility Engagement**

Four private electric distribution companies operate in New Hampshire, each serving a mutually exclusive franchise territory. They include: Eversource Energy (Eversource), Liberty Utilities (Liberty), Unitil Energy Systems, Inc. (Unitil), and the New Hampshire Electric Cooperative, Inc. (NHEC). The New Hampshire Public Utilities Commission (PUC) is vested with general jurisdiction over these private electric utilities as defined in RSA 362:2 for issues such as rates, quality of service, finance, accounting, and safety.

New Hampshire also has 5 municipal electric companies: Ashland Municipal Electric Department, Littleton Electric Light & Water Department, North Hampton Wolfeboro Municipal Electric Department, and the Woodsville Water & Light Department. Neither the Public Utilities Commission nor the Department of Energy has authority over these 5 electric municipal companies.

Eversource serves approximately 70 percent of the retail customers in New Hampshire. The company serves geographically and demographically diverse areas, ranging from urban, southern areas to rural, northern areas of the state. Unitil serves approximately 11 percent of New Hampshire's retail customers in both the Seacoast and Capital areas. Liberty, whose franchise territory includes western and southern areas of the State, serves approximately 6 percent of the retail customers in New Hampshire. NHEC provides electric service to about 11 percent of retail customers throughout the central part of New Hampshire. See Figure 4 for a map of these companies and their franchise areas.

Proposers will be required to consult with the appropriate electric utility company providing service for each proposed site and submit an Electric Vehicle Preliminary Site Feasibility Assessment Information form during the Proposal phase of the program. The Proposer will complete their portion of and submit this to the appropriate utility contact listed in the Proposal and the utility will complete this form and return it to the Proposer. Applicants must provide the utility a minimum of 10 weeks to complete this form. Should the project incorporate any complementary technologies such as battery storage, these needs will be identified during preliminary planning and coordinated with the applicable utility partner during preliminary feasibility planning and throughout project design.

NHDOT and NHDES have reached out to the utilities to discuss the NEVI program and how all parties can work together to meet the Plan's Vision and Goals. These discussions have been high level to date and have occurred in a variety of methods and environments. NHDOT will be reaching out to specific utilities during the RFP development phase to discuss potential stations identified in the RFP. Once Proposals have been received, NHDOT will continue coordination with relevant utilities to identify ways to improve resiliency and mitigate risks of climate change and extreme weather on the proposed charging sites.




Figure 4: Utility Providers in New Hampshire

# **Site-Specific Public Engagement**

NHDOT will engage with local communities, both residents and businesses, where EV charging infrastructure will be sited to discuss all ideas and concerns. This feedback will be incorporated into NHDOT's specific site selection and site design. A detailed list for site-specific public engagement, including names, addresses, and emails, will be developed after Proposals have been received for the RFP.

# **Plan Vision and Goals**

The following goals were identified through collaboration with State agencies and external stakeholder. As a product of this inclusive process, the following Plan Vision and Goals have officially been adopted by New Hampshire:

#### **Plan Vision:**

Strategically deploy an interconnected and equitable network of public electric vehicle charging infrastructure to encourage electric vehicle travel, maintain economic competitiveness, and stimulate public-private sector collaboration in the State of New Hampshire.

#### **Plan Goals:**

- Develop an interconnected and equitably located network of public EV charging infrastructure along New Hampshire's alternative fuel corridors that is accessible, eliminates range anxiety, allows for public awareness of charging locations, and supports EV adoption.
- 2. Grow the economies of underserved rural and urban communities through skills training and workforce development opportunities associated with implementation and management of public EV charging infrastructure.
- 3. Coordinate with electric utilities to integrate New Hampshire's public EV charging network within the local energy systems to enhance resilience and reliability.
- Support local and State governmental agencies in the development of a public EV charging network that meets the needs of local government, agencies, end users, residents, and visitors.
- 5. Uphold safety and protect EV drivers through adherence to standards and cybersecurity protocols.
- 6. Encourage electric vehicle travel throughout New Hampshire for residents and visitors.
- 7. Increase familiarity and knowledge about EVs among communities through education, coordination, and outreach.
- 8. Promote a sustainable New Hampshire through transportation electrification.
- Identify collaboration opportunities between public and private sectors for EV charging infrastructure implementation.
- 10. Develop standards and protocols that meet the State of New Hampshire's EV needs.

### New Hampshire's Five-year NEVI Action Plan and Goals:

In the first three years: Fully build out NEVI-compliant EV charging stations on the interstate system, connecting New Hampshire with its bordering states and Canada. Stations along the interstate system will consist of greenfield or upgraded sites.

For the purposes of this Plan, a "greenfield" site is defined as a new charging site.

In the following 2 years: Fully build out NEVI-compliant EV charging stations on additional AFCs, increase redundancy at stations (build out future proof options), and upgrade current stations to be NEVI-compliant.

# **Contracting**

NHDOT is exploring options to encourage selective upgrades of existing chargers, where appropriate, along with both urban and rural deployment of new NEVI charging stations. New Hampshire's plan is to contract with private entities following the model already established by DES through the VW Trust Settlement. DES released an RFP in September of 2021 with Proposals due in January of 2022 which included design, construction, and maintenance of EV charging stations throughout the State. The process described in the RFP (New Hampshire VW Environmental Mitigation Trust Direct Current Fast Charging Infrastructure) includes identifying general locations and corridors for deployment of EV charging infrastructure and then letting the proposer decide specific sites along the corridors.

The RFP states "Sites proposed should serve travel on a specified corridor. If a site is not immediately adjacent to a named corridor, the proposal should specify the distance (by road, not direct line) from the corridor and describe why the proposed location is preferred. The plans are developed on a spec-based criteria (for example, 50-mile criteria).

Two options for contract administration of the Plan were discussed in the original NEVI Plan submitted on August 1<sup>st</sup>, 2022:

- 1. Assign/Hire an NHDOT staff member for proposal support.
- 2. Hire an Owner's Representative for contract support.

The status of the Contracting Process is discussed in the following 'Status of Contracting Process' section.

NHDOT's approach will encourage deployment of Electric Vehicle Supply Equipment (EVSE) in rural and/or underserved communities which may not occur without this public funding. Additionally, NHDOT will work to encourage station development at sites that can serve highway traffic while also providing needed charging capacity for local EV drivers, such as at neighborhood commercial centers within 1 mile of the AFC. This approach can meet the NEVI program's minimum standards while providing economic development opportunities for local businesses and charging opportunities for residents who reside in apartments or condominiums and are not able to install chargers where they live.

NHDOT will continue discussions with local utility representatives during development of the RFP(s). Verifying available utility capacity at a potential site along with utility upgrade costs will be key to Proposal development and review.

Another consideration for the Plan will be small businesses and DAC affected by the implementation of this plan. NHDOT will encourage small and DBE/MBE participation as part of the contracting services during the implementation stages.

It is important to ensure project cost transparency set by third parties. Therefore, after NH G&C approval, the following information regarding EV charging station selection/operation related to their price proposal will be made publicly available:

- Summary of procurement process
- Number of bids received
- Identification of the awardee
- Proposed contract with awardee
- Financial summary of contract payment

# **Status of Contracting Process**

NHDOT retained a consultant (June 2023) to provide NEVI program management support. NHDOT identified an internal RFP Development committee, RFP Oversight Committee and is working on assembling an RFP Scoring Committee to assist with the review of Proposals.

The consultant is assisting NHDOT to develop the RFP and provide procurement support. Internal RFP development committee will consist of members of NHDOT.

It is anticipated that the RFP Scoring Committee will consist of representatives from NHDOT, BEA, DES, and DoE.

Procurement process is expected to occur in three phases, as shown in Figure 5 below.



Figure 5. Procurement Phases for NEVI Funds Disbursement

#### Phase 1 Procurement Schedule:

Development of Phase 1 procurement documents is underway. Below is a summary of the anticipated schedule for the first RFP:

- Draft RFP Early September 2023
- Final RFP Late September 2023
- Proposals Submitted December 2023
- Proposals Ranked January 2024
- G&C Approval Second Quarter of 2024

#### **Awarded Contracts**

No contracts have been awarded as of July 31, 2023.

#### **Scoring Methodologies Utilized**

NHDOT is currently working with the program management consultant to develop scoring criteria and methodologies. They have yet to be finalized as of July 31, 2023.

#### **Plan for Compliance with Federal Requirements**

Equipment will have certifications that ensure reliability of operations. EVSE must be certified by an Occupational Safety and Health Administration Nationally Recognized Testing Laboratory, and all AC Level 2 EVSE must be ENERGY STAR certified.

Since the NEVI Formula Program shall be administered as if apportioned under the Title 23 of the Code of Federal Regulations (CFR), New Hampshire recognizes that it will be subject to implementing procurement pursuant to federal regulations for the procurement of construction and design. Additionally, any agreements for the operation and maintenance of an EV charging station are subject to State procurement policies and procedures.

To ensure consistent operations of stations and chargers, EVSE must comply with the NEVI standards for at least the first five years after installation.

# **Civil Rights**

The deployment of Electric Vehicle charging stations will be created pursuant to all federal, state, local laws, regulations, and statutes to ensure compliance with the Americans with Disabilities Act (ADA) and Title VI of the Civil Rights Act of 1964 (Title VI).

NHDOT further assures every effort will be made to ensure nondiscrimination in all its programs and activities, whether those programs and activities are federally funded or not. The following steps are integral to the deployment and plan:

## **Compliance with Title VI of the Civil Rights Act:**

- Title VI prohibits discrimination on the basis of race, color, or national origin in any program or activity that receives Federal funds or other Federal financial assistance.
- NHDOT has devised surveys and other public outreach resources as described in the Public Engagement section to educate the public regarding the availability of EV charging stations.
- NHDOT has also committed to conduct necessary public outreach events providing translation and interpretation services as needed to generate public feedback.

### **Compliance with American with Disabilities Act:**

- The Americans with Disabilities Act (ADA) of 1990 provides comprehensive civil rights protections to individuals with disabilities in the areas of employment, state and local government services, public accommodations, transportation, and telecommunications.
- NHDOT will ensure that the EV charging stations are designed and constructed in accordance with ADA standards related to accessible parking spaces.
- Public outreach events are and will continue be held in accordance with Section 504 of the Rehabilitation Act of 1973 (as amended) to generate public feedback from the disability community.

# **Compliance with Section 504 of the Rehabilitation Act:**

- Section 504 forbids organizations and employers from excluding or denying individuals with disabilities an equal opportunity to receive program benefits and services.
- NHDOT, and any Contractor, shall not discriminate on the basis of race, color, national origin, or sex, in the award and administration of this program.

AFC corridors have been determined using the aforementioned acts as guidelines to ensure that the infrastructure is available to all communities and people throughout the State and provide equitable access to disadvantaged areas.

All RFPs associated with NEVI program funding will require compliance with appropriate civil rights regulations and ADA Accessibility Standards.

More information on NHDOT's ADA or Civil Rights Programs can be found here:

https://www.nh.gov/dot/org/administration/ofc/index.htm

# **Existing and Future Conditions Analysis**

New Hampshire has varied terrain, climate, population density and transportation patterns as described in the following sections. The southern portion of New Hampshire is generally characterized as urban/suburban and includes the major cities of Manchester. Nashua, and Concord. Hillsborough and Rockingham counties in the southcentral and southeastern portion of New Hampshire account for 53% of the State's population as of October 2020. The western and northern portions of the State, above Concord, are generally more rural with a decreased population density.

New Hampshire has a varied geography from its 18 miles of coastline in the southeast corner to the White Mountains in the northern portion of the State. New Hampshire can be broken down into three primary geological regions, each having unique challenges throughout the year.



Figure 6. New Hampshire Land Regions

The Coastal Lowlands are in the southeastern section of the State where New Hampshire borders the Atlantic Ocean. This area extends approximately 20 miles into New Hampshire and consists of sandy beaches, rivers, and tidal wetlands.

The Eastern New England Upland covers most of Southern New Hampshire outside of the Coastal Lowlands. This area consists of the Merrimack Valley, the Hills and Lakes Region, and the Connecticut River Valley.

The White Mountains Region is in the northern half of the State, north of the Eastern New England Upland area. The region consists of rugged mountains and narrow valleys. There are several mountains in this region that exceed 5,000 feet above sea level, including Mount Washington which is the highest point in New England at 6,288 feet above sea level.

Climate varies throughout the three regions, but is generally characterized by cold, snowy winters and mild summers with highly variable weather patterns. Weather in the southern part of the State is controlled due to the proximity of the jet stream and the Atlantic Ocean, while the northern portion of the State is influenced by mountain ranges. Summers have

average daytime highs in the 70°F (21.1°C) to 85°F (29.4°C) range at the peak of July and are warm and humid. Winters have average lows in the -4°F (-20°C) to 15°F (-9.4°C) range in January and are cold, icy and snowy. The northern wilderness regularly drops below 0°F (-17.8°C) during the winter.

New Hampshire averages an annual rainfall of 40" (1016mm) with significant variations in the White Mountains range and northern highlands. Rain is evenly distributed throughout the year. Snowfall is heavy during the winter and accumulates 60" (1524mm) to 100" (2540mm) statewide with a higher range in the mountains.

# **Alternative Fuel Corridor (AFC) Designations**

A map of NH's existing AFCs can be found in Figure 3..NHDES and NHDOT did not propose any additional AFCs in the 7<sup>th</sup> Round of Alternative Fuel Corridor Designations is released in 2023.

The following is a list of NH AFCs:

- i. I-89 (Entirety)
- ii. I-93 (Entirety)
- iii. I-95 (Entirety)
- iv. US-2 (Entirety)
- v. NH-16 (Entirety)
- vi. Everett Turnpike (Entirety)
- vii. US-4 (I-393 in Pembroke to NH-16 in Dover)
- viii. US-302 (I-93 in Bethlehem to ME Border)
- ix. NH-9 (VT Border to I-89)
- x. NH-11 (NH-12 to I-89 New London)
- xi. NH-12 (VT Border to NH-11)
- xii. NH-101 (Western Terminus to I-95 in Hampton)

There are no current upgrade proposals for AFCs in New Hampshire.

# **Existing Charging Stations Along AFCs**

details the Existing EV Charging densities for each AFC. These total numbers detail the number of sites within 1 mile of the designated route. The counts include Level 2 and DCFC chargers.

Table 3. Charging Density Breakdown by AFC in NH

| <b>AFC Route</b>        | Number of Existing EV Charging Stations |
|-------------------------|---|
| I-89                    | 5                                       |
| I-93                    | 28                                      |
| I-95                    | 5                                       |
| <b>Everett Turnpike</b> | 6                                       |
| US-2                    | 1                                       |
| US-4                    | 1                                       |
| US-302                  | 11                                      |
| NH-9                    | 5                                       |
| NH-11                   | 0                                       |
| NH-12                   | 1                                       |
| NH-16                   | 23                                      |
| NH-101                  | 15                                      |
| Total                   | 101                                     |

The scope of the VW Trust EV RFP includes increasing capacity along some of the same AFCs identified within this Plan. Not all high priority corridors identified within the two programs overlap, but there will be some redundancy or station upgrades among the EV infrastructure deployment corridors and locations directly off the corridors. Additionally, since the VW Trust EV sites may not meet NEVI requirements, there will be added redundancy in some locations where the sites cannot be used to count towards a served area.

A table of all existing charging locations along the AFCs is provided in Appendix A. The table is accurate as of July 2023, and it should be noted that additional stations are under construction or planned in 2023. The DES Volkswagen Funded EV Charging Station projects are currently under design or beginning stages of construction as of July 2023.

Figure 7 presents a map of AFCs and existing public DCFC and level 2 Charging Locations




Figure 7: AFCs and Existing DCFC and EV Level 2 Charging Locations as of April 2022

# State Travel Patterns, Public Transportation Needs, Freight, and Other Supply Chain Needs

New Hampshire has 381 centerline miles of interstate highways representing the largest percentage of vehicle miles traveled within the State. 95% of New Hampshire's goods are transported along the highway system, via I-89, I-93, I-95, and the Everett Turnpike. The interstate network is a vital component of the transportation system allowing for the movement of people and goods throughout the State.

Tourism plays a vital role in New Hampshire's economy. New Hampshire saw a record number of tourists in 2021 representing a 43% increase above pre-pandemic levels. EV Infrastructure needs to account for the residents as well as visitors to the State.

#### **Public Transportation**

New Hampshire has limited public transportation, generally concentrated in urban or interstate portions of the State. 33 of 244 communities in New Hampshire have regular public transit service. Refer to Figure 8 for locations and services. In addition to these services, there are 25 publicly accessible Volunteer Driver Programs such as "The Caregivers" or "Meals on Wheels" serving 197 of the 244 New Hampshire communities.

New Hampshire's Regional Planning Commissions (RPCs) and Metropolitan Planning Organizations (MPOs), along with a recently completed online survey by NHDOT, indicate that the residents of New Hampshire would value additional public transit options. New Hampshire will review FHWA guidance on heavy-duty and freight vehicles to support public transit options for electric vehicles in the future.

USDOT's FTA administers the Public Transportation Innovation Program which provides financial assistance for research demonstration and deployment projects for low or zero emissions public transportation vehicles. Additionally, by 2040, all public transit agencies must transition to 100% zero-emission bus fleets in accordance with the FTA Zero-Emission Fleet Transition Plan.

Table 4 outlines a breakdown of transit fleets transition to electric vehicles.

Table 4. Transit Fleet Electric Vehicle Transitions

| Date               | Date Large Transit Agency Small Trans  |  |
|--------------------|--|--|
| January 1,<br>2023 | 25% of the total number of new bus purchases in each calendar year must be zero-emission buses | No Requirement   |
| January 1,<br>2026 | 50% of the total number of new bus purchases in each calendar year must be zero-emission buses | 25% of the total number of new bus<br>purchases in each calendar year must<br>be zero-emission buses |
| January 1,<br>2029 | All new bus purchases must be zero-<br>emission buses  | All new bus purchases must be zero-<br>emission buses  |
| January 1,<br>2040 | Entire bus fleet must be zero-<br>emissions buses  | Entire bus fleet must be zero-<br>emissions buses  |




Figure 8. Public Transit Services

#### Freight and Other Supply Chain Needs

The 2016 Average Annual Daily Traffic for New Hampshire shows that traffic volumes are highest along the Interstate system at the southern borders of the State, traveling into Massachusetts. The Interstates typically carry more traffic than other routes. Portions of the Everett Turnpike in Nashua, I-93 in Salem, and most of I-95 along the southeastern border carry more than 80,000 vehicles per day. From a freight perspective, the data supports the fact that highway is the dominant mode for freight transport and Massachusetts is the State's top trading partner.

The U.S. Department of Transportation (USDOT) Infrastructure for Rebuilding America (INFRA) grant program provides federal financial assistance to eligible transportation infrastructures including **modal shift in freight movement.** Corridors identified as high priority freight corridors will also have considerable overlap with the identified AFCs. New Hampshire's statewide freight plan is also useful in evaluating this modal shift in freight movement. <sup>2</sup>

# **Historical EV Adoption Rates**

In 2021, New Hampshire EVs accounted for less than one percent of the State's vehicle share; by June 2022, New Hampshire grew to more than 7,000 EVs registered<sup>3</sup>. This increase is due to New Hampshire's efforts of increasing charging infrastructure and providing incentives to lower the upfront costs of EVs and EVSE in 2019. The State lags slightly behind the national average adoption rate (4.6%) but is expected to continue to grow due to enhanced EV infrastructure, more EV models available, increased consumer interest, additional policies to drive adoption, buy-in from the auto industry, and financial incentives.<sup>4</sup>,<sup>5</sup>

Table 5. Vehicles Registered in 2022 (State of NH)

#### Vehicles Registered in 2022<sup>3</sup>

| Electric (EV)                  | 7,000     |
|--------------------------------|-----------|
| Plug-In Hybrid Electric (PHEV) | 4,800     |
| Hybrid Electric (HEV)          | 31,100    |
| Biodiesel                      | 12,900    |
| Ethanol/Flex (E85)             | 95,400    |
| Compressed Natural Gas (CNG)   | 100       |
| Propane                        | 0         |
| Hydrogen                       | 0         |
| Methanol                       | 0         |
| Gasoline                       | 1,180,700 |
| Diesel                         | 29,400    |
| Unknown Fuel                   | 12,300    |

32

<sup>&</sup>lt;sup>2</sup> Freight Plan | Planning and Community Assistance | NH Department of Transportation

<sup>&</sup>lt;sup>3</sup> Alternative Fuels Data Center, 2022, <a href="https://afdc.energy.gov/">https://afdc.energy.gov/</a>

<sup>&</sup>lt;sup>4</sup> Evaluating Electric Vehicle Infrastructure in New Hampshire, July 2019

<sup>&</sup>lt;sup>5</sup> US Bureau of Labor Statistics, 2023, <u>Charging into the future: the transition to electric vehicles: Beyond the Numbers: U.S. Bureau of Labor Statistics (bls.gov)</u>

#### **Known Risks and Challenges**

#### **National Best Practices**

#### Permitting:

All necessary permits will need to be obtained before an EV charging station will be determined operational. These include local, state, and federal permits required for installation and operation of the station.

#### Stakeholder Agreements:

Engaging the proper stakeholders within the State will be important in the success of the Plan. Determining and identifying stakeholders will be the first step in this, and scheduling meetings to gauge their level of involvement will be the next step. Ensuring stakeholders are heard and taking their concerns into consideration during the planning and implementation process will allow relationships to be built within the communities that these charging stations will serve.

#### **Utility Involvement and Coordination:**

All Proposers must consult with the electric utility company providing service for each proposed site and submit a completed Electric Vehicle Preliminary Site Feasibility Assessment Information form for each site. Applicants must provide the utility a minimum of 10 weeks to complete the form. The utility will review this form and complete their portion and return it to the Proposer. It is incumbent upon the Proposer to be responsive to requests for information from the utility that are necessary to properly complete this form. Both forms shall be submitted with the final proposal. Proposers are advised to allow for adequate time to coordinate with the utility to ensure the full completion of the Utility Assessment Form including estimates of full costs. Any proposal submitted without these forms will be rejected.

#### NH State Specific Risks and Challenges:

The location of Tesla charging stations was not considered in the development of the Plan and identifying locations for EV charging infrastructure, as they do not meet the requirements to use a CCS charger. However, a recent announcement by the White House that Tesla will open its charging network to non-Tesla vehicles creates some uncertainty with the proposed locations in NH. There are several potential NEVI sites that have Tesla stations nearby, resulting in a potential reduced return on investment for the private sector. More recent discussions have culminated in Tesla expressing a desire to bid for NEVI funding at certain charger sites throughout the State to upgrade their own sites to NEVI standards, a process that is drastically less expensive than constructing a new site. Volta, ChargePoint and other private entities are also expected to compete for NEVI funding to upgrade their charging infrastructure.

The northern portion of New Hampshire is very rural and may not have enough electric vehicles to support a return on investment for the private sector at full NEVI build-out. To

accommodate this and initially induce demand, four chargers in northern New Hampshire have applied for funding from the CFI Grant Program, which prioritizes rural areas.

New Hampshire is currently the 4<sup>th</sup> highest state for electricity costs at 30.87 cents/kWh while also being ranked 40<sup>th</sup> for total energy consumed per capita, and 42<sup>nd</sup> for energy production.<sup>6</sup> With the adoption of additional EV charging stations, a higher daily dependency on electricity will follow. This increased electrical demand could provide challenges in the long term as the electric infrastructure is more likely to need repairs, upgrades, and replacements. New Hampshire is sensitive to the increased electricity costs and note that ratepayers, regardless of whether they drive electric vehicles, may be impacted.

NHDOT understands that the ongoing equipment and labor shortages, as well as current inflation percentages and cost escalations have the potential to lengthen timelines and increase implementation costs from what was initially anticipated. Additionally, the Buy America Requirements may cause additional costs and longer time periods for infrastructure implementation.

As previously discussed, NHDES is adding EV charging stations using the VW Trust Funds. Until these charger locations and configurations are finalized, by NHDES and approved by NH's Governor & Council, exact spacing of NEVI approved stations cannot be finalized. If the proposed stations aren't NEVI compliant, NHDOT will consider upgrading the station to the minimum NEVI requirements.

Several DACs are located along the western border of New Hampshire north of US 2 (see Figure 13). NHDES previously submitted this corridor for inclusion as an AFC in the 3<sup>rd</sup> Round of nominations and it was not properly identified. After extensive discussions regarding traffic volumes, electrical power, and potential station utilization, NHDOT/NHDES decided not to nominate this corridor again under the 7<sup>th</sup> Round of the AFC designations. EV Charging Infrastructure Deployment.

New Hampshire intends to administer the NEVI funds available for investment through an RFP or series of RFPs. The RFP(s) will indicate general regions (example Exit X to Exit Y on I-93) where EV charging stations must be located to meet maximum spacing requirements along with all the relevant specifications to fulfill this Plan and NEVI guidance. The Proposer will be responsible for identifying final charging station locations, final design details, construction, maintenance, and operations of EV charging stations. New Hampshire Department of Transportation will oversee these RFPs, with the potential for consultant assistance.

General regions for EV charging station deployments were identified by mapping the existing charging network in New Hampshire and neighboring states. Proposed regions were selected to fill gaps in the 50-mile network to meet NEVI requirements. Where possible, New Hampshire plans to upgrade existing EV stations to the necessary 600 kW of charging power

\_

<sup>&</sup>lt;sup>6</sup> United States Energy Information Administration New Hampshire Rankings, 2023, <a href="https://www.eia.gov/state/rankings/?sid=NH#series/31">https://www.eia.gov/state/rankings/?sid=NH#series/31</a>

to minimize the number of new sites. The figure and table below illustrate the existing and proposed network.

## State, Regional, and Local Policy

#### **National Policy and Best Practice:**

A crucial consideration for EV charging station deployment is regional connection with bordering states and Canada. This will be required for seamless deployment of the EV charging network and will allow travelers with electric vehicles to move throughout the New England area. NHDOT recognizes that the current focus of the NEVI program is to fill gaps in rural, disadvantaged, and hard to reach locations to create a national network of EV charging stations. The overall national goal for EV charging is to provide convenient charging for all via this national network.

#### New Hampshire Specific Perspective:

In New Hampshire there are specific sustainable transportation policies and regulations already in place, as listed in the Table 6 below.

Summary

Table 6 Summary of NH Laws/Regulations

Laws/Regulations

| , ,   |  |
|---|--|
| Fossil Fuel Use Reduction   | Fossil fuels must be reduced across all state-owned facilities 40% by 2025 and 50% by 2030 in comparison to a 2005 baseline. Additionally, the State passenger vehicle fleet must reduce fossil fuel use by 30% by 2030 in comparison to a 2010 baseline.  |
| 2021 RPS Mandate  | Calls for 21.6% of electricity sold to retail electric customers to be generated by renewable energy sources, with a goal of 25.2% by 2025   |
| State Agency Electric Vehicle and<br>EV Charging Station Procurement<br>Executive Order | The State will pursue procuring and installing EV and plug-in hybrid along with EV charging stations for use by state agencies.  |
| School District Emissions Reduction Policies  | School districts are responsible for developing and implementing policy to minimize emissions from all school-related vehicles and fleets including buses, cars, delivery vehicles, etc. Policies must consider existing anti-idling and clean air zone regulations that the New Hampshire Department of Environmental Services established. |
| Idle Reduction Requirement  | Diesel powered vehicle owners must limit the length of time their vehicle remains idle. Longer time limits are granted for colder outside temperatures but otherwise are either 5-15 minutes.  |
| Public Utility Time-Of-Use (TOU) Rate Requirements                                      | Public utilities must determine whether to implement electric vehicle time-of-use (TOU) rates for residential and commercial customers based on opportunities for  |

| Laws/Regulations | Summary  |
|------------------|--|
|                  | energy conservation and equitable rates for consumers. In April 2022, the State of New Hampshire Public Utilities Commission published the approved TOU rates for EV charging stations 7,8,. |

In July 2022, the NH Department of Energy was created by the Governor and NH General Court in House Bill 2.9 In July 2022, the department released the 2021 State Energy Strategy for the next 10 years. The strategy focuses around ten key goals:

- 1. Prioritize cost-effective energy policies.
- 2. Ensure a secure, reliable, and resilient energy system.
- 3. Adopt all-resource energy strategies and minimize government barriers to innovation.
- 4. Achieve cost-effective energy savings.
- 5. Achieve environmental protection that is cost-effective and enables economic growth.
- 6. Government intervention in energy markets should be limited, justifiable, and technology neutral.
- 7. Support a robust, market-selection of cost-effective energy resources.
- 8. Generate in-state economic activity without reliance on permanent subsidization of energy.
- 9. Protect New Hampshire's interests in regional energy matters.
- 10. Ensure that appropriate energy infrastructure can be sited while incorporating input and guidance from stakeholders.

Following the 2018 Ten-Year State Energy Strategy there was more thought and development around EVs, also driven by rising prices of gasoline and federal tax incentives. The 2021 Ten-Year State Energy Strategy has potential to drive important policies and goals around EV adoption and installation, especially considering the \$17M New Hampshire is set to receive over the next 5 years to build EV infrastructure<sup>10</sup>.

36

<sup>&</sup>lt;sup>7</sup> https://www.puc.nh.gov/regulatory/Docketbk/2020/20-170/ORDERS/20-170\_2022-04-07\_ORDER-26604.PDF

<sup>8</sup> https://www.des.nh.gov/blog/electric-vehicles-granite-state

<sup>&</sup>lt;sup>9</sup> New Hampshire General Court. "relative to state fees, funds, revenues, and expenditures." HB 2-FN-A-LOCAL, 2021.

<sup>10</sup> https://www.energy.nh.gov/sites/g/files/ehbemt551/files/2022-07/2022-state-energy-strategy.pdf

#### **Funding Sources**

Having diverse funding sources is instrumental in supporting the EV charging infrastructure build-out as well as encouraging EV adoption within the State of New Hampshire. Per NEVI guidance, the total Federal cost-share shall not exceed 80%. NHDOT expects most of the non-Federal funding to come from the private sector. Additionally, New Hampshire has several different funding sources to support these objectives. Funding available to support charging infrastructure is detailed in Table 7. The rebates outlined in Table 7 are only available to NHEC customers.

Table 7. New Hampshire EV Funding Opportunities

| Name   | Summary   | Type of funding | Administrating<br>Organization(s)            | Amount:  | Secured or Pending |
|--|---|-----------------|--|--|--------------------|
| Electric<br>Vehicle<br>Rebates   | Rebate to purchase or lease an electric vehicle.  | Rebate          | New<br>Hampshire<br>Electric Co-op<br>(NHEC) | \$1,000<br>for BEV;<br>\$600 for<br>PHEV,<br>\$300 -<br>EM | Secured            |
| Electric Vehicle Charging Station Rebates                                | Incentive to install Level 2 charging stations at residential sites.  | Rebate          | New<br>Hampshire<br>Electric Co-op<br>(NHEC) | \$300 per<br>port  | Secured            |
| Commercial Electric Vehicle Charging Station Incentives                  | Incentive to install up to (2) Level 2 or higher power charging stations at commercial properties.  | Rebate          | New<br>Hampshire<br>Electric Co-op<br>(NHEC) | Up to<br>\$2,500<br>per port                               | Secured            |
| New Hampshire's National Electric Vehicle Infrastructure (NEVI) Planning | Funding to deploy DCFC along AFC every 50-miles within 1-mile of the corridor. NEVI aims to strategically deploy chargers to establish an interconnected network. | Grant           | FHWA through<br>NHDOT                        | \$17 M   | Secured            |
| Charging and<br>Fueling<br>Infrastructure<br>(CFI) Grant                 | CFI Corridor Program funding to supports eighty percent (80%) of the cost of acquisition and installation of DCFC electric vehicle charging infrastructure with a | Grant           | FHWA through<br>NHDOT                        | \$4.2 M  | Pending            |

| Name | Summary   | Type of funding | <br>Amount: | Secured or Pending |
|------|---|-----------------|-------------|--------------------|
|      | minimum of four (4) charging ports at four (4) sites in the northernmost region of the State. The remaining twenty percent (20%) of project funding will be provided by a private partner following a competitive procurement funding award |                 |             |                    |

NHDOT plans to investigate additional funding sources that were provided in the 90-day NEVI Formula guidance.

NHDOT will include information about these potential funding sources in its public engagement and outreach events to increase awareness.

#### **FY23-26 Infrastructure Deployments**

#### **DES VW Proposal:**

The status of the VW proposal is explained in detail in the "State Agency Coordination" section. A summary of the currently approved sites is shown in Table 2.

#### **Other Projects:**

High priority interstates throughout New Hampshire include I-93, I-89, and I-95. These corridors are high priority due to the traffic volumes they carry as well as their geographic locations in connecting regions of the State. These corridors will come first in the planning and implementation process of EV charging stations. After these corridors have been served, additional AFCs will be prioritized. Several short corridors have been identified to be addressed next as detailed in the AFCs section of this Plan.

## **EV Charging Infrastructure Deployment**

It is unclear at the time of this Plan update whether CCS ports only or both CCS and NACS ports will be required for stations to quality as NEVI complaint. NHDOT is evaluating the benefits of including NACS ports and an ultimate decision is pending.

#### **Planned Charging Stations**

The following stations are all under construction as Electrify America-network chargers. It is anticipated that these stations will be NEVI-compliant and not require NEVI funding.

Table 8: Electrify America Stations Under Construction

| State EV<br>Charging<br>Location<br>Unique<br>ID* | Route<br>(note AFC)          | Location<br>(Address if<br>known) | Number of<br>Ports | Estimated<br>Year<br>Operational | Estimated<br>Cost | NEVI<br>Funding<br>Source | New<br>Location or<br>Upgrade |
|---|------------------------------|-----------------------------------|--------------------|----------------------------------|-------------------|---------------------------|-------------------------------|
| Unknown   | Everett<br>Turnpike<br>(AFC) | Merrimack                         | Unknown            | Unknown                          | Unknown           | No NEVI<br>Funding        | New<br>Location               |

The following stations are all under construction as Tesla Supercharger-network chargers. It is anticipated that these stations will not be NEVI-compliant and require NEVI funding to be brought to NEVI-compliance.

Table 9: Tesla Stations Under Construction

| State EV<br>Charging<br>Location<br>Unique<br>ID* | Route<br>(note AFC) | Location<br>(Address if<br>known) | Number of<br>Ports | Estimated<br>Year<br>Operational | Estimated<br>Cost | NEVI<br>Funding<br>Source | New<br>Location or<br>Upgrade |
|---|---------------------|-----------------------------------|--------------------|----------------------------------|-------------------|---------------------------|-------------------------------|
| Unknown   | NH-4 (AFC)          | Epsom                             | Unknown            | 2023                             | Unknown           | No NEVI<br>Funding        | New<br>Location               |
| Unknown   | I-95 (AFC)          | Portsmouth                        | Unknown            | 2023                             | Unknown           | No NEVI<br>Funding        | New<br>Location               |
| Unknown   | I-93 (AFC)          | Thornton                          | Unknown            | 2023                             | Unknown           | No NEVI<br>Funding        | New<br>Location               |

The following stations are all planned under a non-NEVI CFI Grant program, if the grant is awarded. It is anticipated that these stations will be NEVI-compliant and not require NEVI funding.

Table 10: Planned Stations with CFI Grant Program

| State EV Charging Location Unique ID* | Route<br>(note AFC) | Location<br>(Address if<br>Known) | Number<br>of Ports | Estimated<br>Year of<br>Operation | NEVI Funding<br>Source | New<br>Location or<br>Upgrade |
|---------------------------------------|---------------------|-----------------------------------|--------------------|-----------------------------------|------------------------|-------------------------------|
| Unknown                               | US-3 (AFC)          | Lancaster                         | Unknown            | Unknown                           | CFI Grant              | New<br>Location               |
| Unknown                               | NH-16<br>(AFC)      | Gorham                            | Unknown            | Unknown                           | CFI Grant              | New<br>Location               |
| Unknown                               | NH-16<br>(AFC)      | Conway                            | Unknown            | Unknown                           | CFI Grant              | New<br>Location               |
| Unknown                               | I-93 (AFC)          | Littleton                         | Unknown            | Unknown                           | CFI Grant              | New<br>Location               |




Figure 9: Map of Planned CFI-Grant Stations

### **Planning Towards a Fully Built Out Determination**




Figure 10: Proposed EV Charging Locations

NHDOT plans to have the following chargers as a part of its fully built out NEVI charger network. When complete, this network will cover all the State's AFCs with gap larger than 50

miles and may offer redundancies. The process of deploying this network will be broken down into 3 phases (see Figure 5):

- Prior to Phase 1, it is assumed that the 5 existing Electrify America chargers in operation are NEVI-compliant and will be counted as-such towards the overall charger network. Electrify America is currently constructing a 6<sup>th</sup> charging station (refer to Table 8) that is also assumed to be NEVI-compliant. These chargers are referred to as Phase 0.
- Prior to Phase 1, it is also assumed that the 4 locations that have applied for funding under the CFI-Grant Program will receive that funding and not require any NEVI funding. These 4 chargers will be built to be NEVI-compliant, although it is unknown when they will be constructed relative to the NEVI Phases.
- In Phase 1, up to 3 existing DCFC chargers will be upgraded to meet NEVI-compliance and 3 new "greenfield" chargers will be built to NEVI-compliance. It is assumed that entities such as Tesla, Volta, ChargePoint, Blink etc. will apply for NEVI funding to upgrade their superchargers to be NEVI-compliant.
- In Phase 2, 5 new "greenfield" chargers are anticipated to be built to NEVIcompliance.
- Beyond Phase 2, it is unknown how NHDOT will proceed with constructing chargers. If NEVI funding can be used for locations beyond the AFCs, new greenfield sites will be established. If sites must be chosen along AFCs, some existing chargers may be upgraded. These sites are yet to be determined.

Table 11. Summary of Potential Charger Locations (NH NEVI Charger Network)

| State EV<br>Charging<br>Location<br>Unique ID <sup>1</sup> | Route<br>(note AFC)     | Potential<br>Locations | Site<br>Development<br>Status                 | Utility<br>Territories                      | Anticipated Station<br>Ownership <sup>2</sup> (if<br>known) |
|--|-------------------------|------------------------|---|---|---|
| Unknown  | I-89 (AFC)              | Lebanon                | Existing Site,<br>NEVI Compliant <sup>3</sup> | Liberty                                     | Electrify America (P)                                       |
| Unknown  | I-89 (AFC) <sup>5</sup> | New London             | New Greenfield<br>Site                        | Eversource                                  | Unknown at time of report                                   |
| Unknown  | I-93 (AFC)              | Lincoln                | Existing Site,<br>Upgrade Needed              | NHEC  | Tesla (P) or<br>ChargePoint (P) or<br>Blink (P)             |
| Unknown  | I-93 (AFC)              | Tilton                 | Existing Site,<br>Upgrade Needed              | Eversource or NHEC                          | Tesla (P) or<br>Volta (P)                                   |
| Unknown  | I-93 (AFC)              | Littleton              | New Greenfield<br>Site                        | Eversource or<br>Littleton Light<br>or NHEC | Unknown at time of report                                   |
| Unknown  | I-93 (AFC)              | Manchester             | Existing Site,<br>NEVI Compliant <sup>3</sup> | Eversource                                  | Electrify America (P)                                       |
| Unknown  | I-93 (AFC)              | Salem                  | Existing Site,<br>NEVI Compliant <sup>3</sup> | Liberty                                     | Electrify America (P)                                       |
| Unknown  | I-95 (AFC)              | Seabrook               | Existing Site,<br>NEVI Compliant <sup>3</sup> | Unitil                                      | Electrify America (P)                                       |

| State EV<br>Charging<br>Location<br>Unique ID <sup>1</sup> | Route<br>(note AFC)            | Potential<br>Locations | Site<br>Development<br>Status                              | Utility<br>Territories | Anticipated Station<br>Ownership <sup>2</sup> (if<br>known) |
|--|--------------------------------|------------------------|--|------------------------|---|
| Unknown  | Everett<br>Turnpike<br>(AFC)   | Nashua                 | Existing Site,<br>NEVI Compliant <sup>3</sup>              | Eversource             | Electrify America (P)                                       |
| Unknown  | Everett<br>Turnpike<br>(AFC)   | Merrimack              | Under<br>Construction,<br>NEVI<br>Compliant <sup>3,6</sup> | Eversource             | Electrify America (P)                                       |
| Unknown  | US-2 (AFC)<br>& NH-16<br>(AFC) | Gorham                 | New Greenfield<br>Site                                     | Eversource             | Unknown at time or report                                   |
| Unknown  | US-2 (AFC)                     | Lancaster              | New Greenfield<br>Site                                     | Eversource             | Unknown at time of report                                   |
| Unknown  | US-4 (AFC)                     | Northwood              | New Greenfield<br>Site                                     | Eversource or NHEC     | Unknown at time of report                                   |
| Unknown  | NH-9 (AFC)                     | Hillsborough           | New Greenfield<br>Site                                     | Eversource             | Unknown at time of report                                   |
| Unknown  | NH-9 (AFC)                     | Keene                  | New Greenfield<br>Site                                     | Eversource             | Unknown at time of report                                   |
| Unknown  | NH-11<br>(AFC)                 | Claremont              | New Greenfield<br>Site                                     | Eversource or NHEC     | Unknown at time of report                                   |
| Unknown  | NH-16<br>(AFC)                 | Conway                 | New Greenfield<br>Site                                     | Eversource or NHEC     | Unknown at time of report                                   |
| Unknown  | NH-16<br>(AFC)                 | Errol                  | New Greenfield<br>Site                                     | Eversource             | Unknown at time of report                                   |
| Unknown  | NH-16<br>(AFC)                 | Rochester              | Existing Site,<br>Upgrade Needed                           | Eversource             | Tesla (P)   |
| Unknown  | NH-16<br>(AFC)                 | Wakefield              | New Greenfield<br>Site                                     | Eversource or NHEC     | Unknown at time of report                                   |
| Unknown  | NH-101<br>(AFC)                | Milford                | New Greenfield<br>Site                                     | Eversource             | Unknown at time of report                                   |

#### **Notes:**

<sup>&</sup>lt;sup>1</sup> Defined by the State – this should match the unique ID in the State's applicable GIS databases. It should be clear that the Unique IDs correspond to general locations for proposed installations rather than pinpoint geocoordinates.

<sup>2</sup> Federal Government Owned (FG), Jointly Owned (J), Local/Municipal Government Owned (LG), Privately Owned (P), State/Provincial

Government

<sup>&</sup>lt;sup>3</sup> NEVI compliance assumed for Electrify America sites <sup>4</sup> Funding from CFI Grant

<sup>&</sup>lt;sup>5</sup> Discretionary Exception <sup>6</sup> Potential Redundancy

## **Implementation**

#### **Strategies for EVSE Operations & Maintenance**

Contractors that are selected for implementation of the Plan will be required to manage all operations and maintenance considerations for installed EVSE. These requirements will be articulated in the RFP and the Proposals will in part be evaluated on their approach and qualifications in meeting this requirement. In the implementation of operations and maintenance of charging stations, the following requirements will be considered and implemented:

Charging stations must have at least four operable charging ports which are DCFC ports. Each DCFC charging port's power will be able to reach at least 150 kW, and all charging stations will be able to operate at said power level simultaneously. DCFC ports will have to connect with EVs through a Combined Charging System (CCS) Type 1 connector, which is an industry standard charging port type. Charging ports must have a permanently attached Combined Charging System (CCS) Type 1 connector and must be able to charge any CCS-compliant vehicle. Additionally, the AC Level 2 charging ports – chargers that use a 240-volt alternating current electrical circuit to provide electricity to EVs – must have a permanently attached J1772. Each AC level 2 charging port must reach 6 kW or higher, and all charging ports will be able to work at 6 kW simultaneously. Furthermore, stations will be accessible and operational 24 hours a day, 7 days a week apart from temporary halts in service for maintenance or repairs.

There will be three types of charging network connections and communications to consider: charger to charging network communication, charging network to charging network communication, and charging network to grid communication.

The following processes will be implemented for charger to charging-network communication:

- Chargers will communicate with a charging network through a secure communications method
- Chargers will be able to receive and implement secure, remote software updates and conduct real-time protocol translation, encryption and decryption, authentication, and authorization in their communications.
- Chargers will support remote charger monitoring, diagnostics, control, and smart charge management
- Chargers and charging networks will securely measure, communicate, store, and report energy and power dispensed, real-time charging-port status, real-time price to the customer, and historical charging-port uptime
- Chargers will use Open Charge Point Protocol (OCPP)

 Chargers will be designed to be able to securely switch charging network providers without having to change any hardware.

For charging network to charging network communication, charging networks will be able to communicate with other charging networks to allow EV drivers to use a single credential for charging stations across various charging networks.

For charging network to grid communication, charging networks will be able to securely communicate with electric utilities, other energy providers, and/or local energy management systems.

In the event of an outage or concern regarding the physical infrastructure of the charging stations, customers will have the ability to report these issues. All reporting mechanisms will comply with ADA requirements and be multilingual in either French or Spanish, depending on the prominent need in each region, to ensure accessibility. Additionally, information regarding processes for reporting these issues will be made available at the stations.

Any workforce installing, maintaining, and operating EVSE will have appropriate licenses, certifications, and training to ensure that technicians are qualified for the handling of EVSE. Moreover, electricians installing, maintaining, and operating EVSE must meet at least one of the following requirements:

- Certification from the Electrical Vehicle Infrastructure Training Program (EVITP)
  - EVITP eligibility is determined by holding of a state license or certification; alternatively, a person can be considered eligible without a license or certification if the person has documented proof of at least 8,000 hours of hands-on electrical experience.
- Graduation from a Registered Apprenticeship Program for electricians that includes EVSE specific training and is developed as a part of a national guideline standard approved by the Department of Labor in consultation with the Department of Transportation

If there is an implementation site requiring more than one electrician, at least one of them must meet the above requirements.

## Strategies for Identifying Electric Vehicle Charger Service Providers and Station Owners

As discussed in the Contracting section of the Plan, NHDOT will utilize an RFP process with one or more EV service providers to develop and operate DCFC stations along selected AFCs. The RFP will include evaluation criteria, including cost, for proposers which will be used to determine the selected Proposals.

#### **Strategies for EVSE Data Collection & Sharing**

NHDOT will follow Federal guidance and industry best practices regarding public charging data collection, privacy, and sharing. Data from the charging stations will be made available to the State of New Hampshire regularly. The recommended collection criteria for this data may include:

- Operational status of the equipment and information about each charging session
- Administrative read-only credentials
- Monthly and quarterly reporting

Charging stations will be required to provide updates to NHDOT on a quarterly and annual basis to track and ensure appropriate performance. The reports should be crafted according to the expectations outlined below:

- Quarterly submittals will include:
  - Information regarding each port's performance, based on information such as:
    - Charging station location identifier
    - Charging session start time, end time, and successful session completion (yes/no)
    - Energy (kWh) dispensed to EVs per session
    - Peak session power (kWh)
  - Performance of the station over the previous three months; performance will be accounted for based on the following information:
    - Charging station uptime (uptime is expected to be at least 97 percent on an annual basis). Uptime should be calculated according to the following equation:

• 
$$n \mu = \frac{8760 - (T_{outage} - T_{excluded})}{8760} * 100$$

- μ = port uptime percentage
- T<sub>outage</sub> = total hours of outage in previous year
- T<sub>excluded</sub> = total hours of outage in previous year for reasons outside the charging station operator's control, such as electric utility service interruptions, internet or cellular service provider interruptions, and outages caused by vehicles
- Cost of electricity to operate per charging station
- Maintenance and repair cost per charging station

- Charging station real property acquisition cost, charging equipment acquisition and installation cost, distributed energy resource acquisition and installation cost, and grid connection and upgrade cost on the utility side of the electric meter
- Distributed energy resource installed capacity, in kW or kWh as appropriate, of asset by type (e.g., stationary battery, solar, etc.) per charging station
- Annual submittals will consider and include:
- The name, address, and type of private entity involved in the operation maintenance, and installation of EVSE
- Identification of and participation in any state or local business opportunity certification programs including but not limited to the following: programs for minority owned businesses, veteran-owned businesses, woman-owned businesses, and businesses owned by economically disadvantaged individuals
- Report that describes community engagement activities specifying type, date, number of attendees, communities represented, and how information on that engagement was reflected in this EV Infrastructure Deployment Plan

Information station operators may collect, process, and retain must be strictly necessary for providing service or for fulfilling state-specified reporting requirements. For example, operators may collect information to complete charging transaction and information to provide location of charging stations to consumers. Additionally, operators must actively work to safeguard consumer data.

# Strategies to Address Resilience, Emergency Evacuation, Snow Removal/Seasonal Needs

New Hampshire's EV charging stations will need frequent snow removal and management during winter months throughout the State. Snow removal and management will be addressed in the RFP and subsequent contracts. NHDOT may investigate the need for disincentives or withholding of funds if snow removal obligations are not met.

The State of New Hampshire has one nuclear power plant within its borders, Seabrook Station in Seabrook, NH. NHDOT will coordinate with New Hampshire Homeland Security and Emergency Management to discuss the evacuation routes from the Seabrook Station within New Hampshire and to Massachusetts and Maine. For New Hampshire residents, there are reception centers in Manchester, Dover, and Rochester.

New Hampshire's location along the coast with its northeast climate subjects the State to extreme weather and flood risks that will require resiliency planning to protect vulnerable

communities. Electric vehicles can serve as a key tool in preparing for and responding to emergency events caused by natural disasters and resulting disruptions to the grid.

According to the 2019 NH Coastal Flood Risk Summary Part I: Science, flood risk stems from relative sea level rise correlated from the rate of ice mass loss from the Greenland and Antarctica ice sheets. This combined with extreme precipitation results in groundwater levels rising and freshwater flooding. In particular, New Hampshire's coastal communities are most at risk to sea level rise, whereas communities in Western New Hampshire and the White Mountains are prone to other weather emergencies. Using the NH Coastal Viewer tool developed by the New Hampshire Coastal Adaptation Workgroup, the following map shows the baseline mean higher high-water levels. This map indicates major highways running through the State and their intersections with sea level pathways, indicating high risk areas for flooding. Collaboration between the NHDOT and NHDES will be crucial for developing emergency evacuation routes throughout the State that consider high risk areas and ensures there are enough EV chargers placed along evacuation routes.




Figure 11: Mean High Water Baseline for Seabrook, Hampton, and North Hampton

While there is currently no mention of EVs in public policy on disaster management, there are several creative ways EVs can fill gaps in disaster preparedness and response, granted required EVSE is installed<sup>11</sup>. Grid-tied EV charging sites coupled with battery energy storage (BESS) can provided benefits like charging flexibility and peak shaving during normal times. This setup would allow EVs to charge from the battery during a grid disruption. The onsite battery energy storage could also comprise of second life lithium-ion (EV) batteries that have been refurbished for stationary use, with anywhere between 70-80% battery capacity still available. This allows for a cost-effective sourcing solution for more resilient charging stations<sup>12</sup>. Another version of this setup is to have renewable energy powered off-grid EV charging stations coupled with battery energy storage. These systems do not rely on the grid and would operate the same way in an emergency. The battery is key in storing energy so that EVs can charge directly from the BESS at times when renewables are not producing electricity. During an outage, this would allow EVs to charge and be available for emergency evacuations.

More studies are also evaluating parking lots as distributed generation sources that could harness multiple EV batteries to support loads on the grid<sup>13</sup>. During an outage, using V2G technology, EVs can provide power to individual homes and clustered EVs could even be harnessed to restart substation transformers or serve critical facility loads<sup>14</sup>. EVs ability to black start generators after an outage are also valuable as they have faster response times than conventional black-start generators<sup>15</sup>. During service-restoration, EVs can support the grid in coming back online via frequency regulation.

The following requirements will be true of the EV charging stations installed:

- Able to withstand extreme weather conditions including temperature extremes, flooding, wind, ice, snow, heavy rain, and high winds, and is protected from malfunctions due to condensation
- Includes barriers or other mechanisms to prevent damage from snow removal equipment or vehicles
- If a proposed site is within a one percent annual chance floodplain the Applicant must provide justification for use of this location and describe how the site will be developed to protect the installed EVSE and ensure continued access and resiliency to rising waters.

Debnath, U. K., Ahmad, I., & Habibi, D. (Nov. 2016). Gridable vehicles and second life batteries for generation side asset management in the Smart Grid. Int. J. Electr. Power Energy Syst., 82, 114-123.
 Momen, H., Abessi, A., & Jadid, S. (Sep. 2020). Using EVs as distributed energy resources for critical load restoration in resilient power distribution systems. IET Gener. Transm. Distrib., 14(18), 3750-3761.
 Razeghi, J. Lee, and S. Samuelsen, "Resiliency impacts of plug-in electric vehicles in a smart grid," Feb. 2021

49

\_

<sup>&</sup>lt;sup>11</sup> Hussain, A., & Dusilek, P. (2022, February 25). Resilience enhancement strategies for and through electric vehicles. Sustainable Cities and Society. Retrieved July 18, 2022, from <a href="https://www.sciencedirect.com/science/article/abs/pii/S2210670722001172">https://www.sciencedirect.com/science/article/abs/pii/S2210670722001172</a>

<sup>&</sup>lt;sup>15</sup> Zhong, X., Cruden, A., Infield, D., Holik, P., & Huang, S. (2009). Assessment of vehicle to grid power as power system support.

 Proposed installation sites will be discussed between the Department of Transportation and the Department of Environmental Services to ensure charger availability along potential evacuation routes in high-risk areas with storage/renewables among other solutions discussed above for added resiliency

New Hampshire will develop Emergency Action Plans (EAPs) with National Guard and municipal emergency management to address long widespread outages in remote areas of the State where people will be dependent on charging stations.

# Strategies to Promote Strong Labor, Safety, Training, and Installation Standards

A primary goal of vendor selection for this Plan will be to maximize U.S.-made EVSE. Additionally, workforces will be drawn from local members of the communities served wherever possible. The development of these EV charging stations in communities throughout the State and the drawing of the workforce from these communities will lead to an increase in jobs available to New Hampshire residents.

The NEVI program presents an opportunity with respect to workforce development and can be leveraged to develop electrical and construction skills. NHDOT will require contracted firms to adhere to training and certification requirements outlined in the NEVI minimum standards guidance. NHDOT has also had internal discussions about using some NEVI and/or other Federal funding to directly support workforce development opportunities, such as apprenticeship programs or community college pathways that could support future EVSE deployment.

## **Equity Considerations**

When determining where EV charging stations should be located, there should be engagement with rural, underserved, and disadvantaged communities to ensure that diverse views are heard and considered and to ensure that the deployment, installation, operation, and use of EV charging infrastructure achieves equitable and fair distribution of benefits and services.

Achieving New Hampshire's long-term goals, as articulated in this Plan, requires the equitable deployment of electric vehicle infrastructure, and NEVI Formula Program funding is one opportunity to ensure these investments benefit disadvantaged communities. This funding will aid New Hampshire in creating safeguards to prevent or mitigate potential harms by equitably deploying infrastructure throughout the State.

### **DOE Justice 40 Mapping**

- Identify disadvantaged communities
- Design targeted outreach
- Utilize the Equity, Diversity, & Inclusion (ED&I) team within NHDOT as a partner for outreach
- Reach out to Department of Health and Human Services (DHHS) Refugee Program
- Utilize resources and expertise of the DES EJ group

#### **Community Based Organizations**

- Identify community organizations that represent disadvantaged communities and nominate EV Working Committee partners
- Share online resources
- Ask targeted questions about benefits of EV charging infrastructure
- Develop surveys/interactive map in other languages Ex.: French, Spanish

### **Update and Engage**

• NHDOT will continuously monitor feedback from public engagement sessions and will update community engagement methods throughout the 5-year period

Figure 12. DAC Outreach Strategies Summary

# Identification and Outreach to Disadvantaged Communities (DACs) in the State

NHDOT is committed to meeting the goals previously identified within this Plan. DACs have been identified by using the Justice40 Map Tool and completing an "EJ Population Analysis" at the County level since specific charging locations have not been finalized at this time. EV charging facilities will be placed in both rural and urban areas due to the significant number of AFCs identified within NH. NHDOT will be meeting with DACs and hosting public outreach opportunities within the identified communities during RFP development and prior to contracting and execution. The goals of these meetings are to determine concerns/priorities to these communities and work to address them during the RFP development process.

#### Process to Identify, Quantify, and Measure Benefits to DACs

NHDOT plans to work with the DACs to identify goals and measurable benefits as described previously. Current and projected traffic volumes will be vital to determine the direct and indirect benefits to rural communities. Some of the potential benefits to increased electrification that will be communicated to the local communities are improved air quality, job creation, and increased grid investment.

As part of USDOT's work in implementing the Justice40 Initiative, USDOT developed an interim definition for disadvantaged communities ("DACs") that may be used under Justice40-covered grant programs. This definition is based on 22 indicators collected at the US Census tract level. To help grant applicants determine whether the locations of their proposed sites were in a DAC, the Department created a mapping tool, which went live on January 28, 2022. The mapping tool can be found at the following link.

A screenshot from this mapping tool displaying the State of New Hampshire with highlighted DAC's can also be found in Figure 13.




Figure 13: New Hampshire DACs

The Department subsequently conducted a data review and found that the mapping tool had data errors affecting approximately 11% of U.S. Census tracts. The NEVI Mapping tool was last updated on November  $22^{nd}$ , 2022.

At least 40% of the benefits from the new EV charging infrastructure throughout the State should reach these communities.

The following benefits will be considered to determine their impact on disadvantaged communities:

- Reduce Transportation Emissions
- Create Job Opportunities
- Decrease Transportation Cost Burden
- Provide Disadvantaged Business Opportunities
- Provide Clean Transportation Access
- Create Opportunity for Community Partnership
- Increase Energy Resilience

Once the benefits are determined, NHDOT proposes to develop and accountability framework using the following steps.

- 1. Determine which benefits (listed above) are of the highest through community engagement.
- 2. Establish a baseline of our current state.
- 3. Design a NEVI program to maximize the delivery of these benefits.
- 4. Measure results as the program is implemented.
- 5. Validate the results within the communities
- 6. Adjust the program to further maximize the benefits.

As this is a 5 year roll out, this will be evolving framework which will need to be repeated and revised as necessary throughout the program.

NHDOT expects several benefits from the deployment of DCFC throughout the State. One of the biggest benefits will be increased access to EV charging in rural areas along with reducing "range anxiety" of out-of-state travelers. Additional benefits may include increased investment in DAC and workforce development. Further benefits will be determined after discussions and feedback from DACs.

#### Table 12: Strategy for Tracking Benefits

#### Benefits Category Strategy for Tracking Benefits

| Improve clean transportation access through the location of chargers  | Increase in the number of chargers in the State and EV adoption rate in the State   |
|---|---|
| Decrease the transportation energy cost burden by enabling reliable access to affordable charging                                     | Monitor electricity costs at charging stations  |
| Reduce environmental exposures to transportation emissions  | Monitor emissions levels at various locations along AFCs  |
| Increase parity in clean energy technology access and adoption  | Place charging stations along all AFCs and in both rural and low-income areas   |
| Increase access to low-cost capital to increase equitable adoption of more costly, clean energy technologies like EVs and EV chargers | Monitor EV registrations by both location and household income  |
| Increase the clean energy job pipeline, job training, and enterprise creation in disadvantaged communities                            | Track job creation by sector by community during and after the deployment of the charger network                          |
| Increase energy resilience  | All chargers will have at least one backup power source   |
| Provide charging infrastructure for transit and shared-ride vehicles  | Contact ride-sharing platforms to help track EV usage & work alongside local transit agencies to achieve federal EV goals |
| Increase equitable access to the electric grid  | Place charging stations along all AFCs and in both rural and low-income areas   |
| Minimize gentrification-induced displacement result from new EV charging infrastructure   | Monitor rent growth surrounding charging stations and compare it to areas not adjacent to charging stations               |

### **Labor and Workforce Considerations**

NHDOT has labor and equity personnel which will aid in ensuring the labor and workforce is continuously approaching training and the EV workforce from an equity and diversity perspective. Focuses will include training the workforce in high quality training programs like the Electric Vehicle Infrastructure Training Program (EVITP) and maximizing job creation for both trade jobs and skilled workers local to the communities being served. Additionally, encouraging a broader participation of women, Black, Latino, Asian American Pacific, Indigenous, and other underrepresented groups will be a focus. To ensure participation of younger members of the community and simultaneously allow people to grow their career and skills, apprenticeships will be encouraged to expand the skilled trades workers.

NHDOT will also consider investing NEVI funding to help meet workforce needs with a focus on such investments as serving underserved and Environmental Justice Populations. New Hampshire based companies and organizations that may be included in developing this workforce include:

- NH Tech Colleges;
- Department of Business and Economic Affairs Office of Workforce Opportunity;
- High school "trade" training programs;
- Community Action Programs.




Figure 14: Map of contractors who employ EVITP Certified electricians in NH16

<sup>16</sup> https://evitp.org/newhampshire

## **Physical Security and Cybersecurity**

#### **Physical Security**

Physical safety can be divided into two categories: protecting the stations and its infrastructure and protecting the driver and vehicle occupants.

To protect the station and its infrastructure, NHDOT will place bollards around the chargers to prevent vehicles from damaging the chargers. Additionally, video surveillance will be in place to monitor all behavior and ensure users are utilizing the infrastructure properly. In the event video surveillance is insufficient, station attendants can be hired and deployed.

To protect the driver and vehicle occupants, overhead lighting will be installed at each station to give clear visibility of the site. Furthermore, fire hydrants will be in place at each site and local fire department contact information will be present via an emergency call box. Local fire departments will be notified of the closest water source to each site.

#### Cybersecurity

New Hampshire will consider cybersecurity needs of the electrical grid, station, vehicles, and customers using EV charging infrastructure. The RFP will require Software updates be made regularly to ensure that neither the station nor vehicles are compromised by malicious code, or that a vehicle infects other stations during future charges.

Regarding the security of charging stations, both cybersecurity and physical security will be considered. More specifically, the State EV Deployment Plans should indicate strategies for preventing vulnerabilities relating to the grid, consumers, and charging infrastructure.

The following network requirements will need to be met at a minimum for cybersecurity:

- The network must be configured to display real-time operational status on a smartphone application, either through a network-specific application or a third-party aggregator.
- Applicants must describe how network security concerns will be addressed and managed.

For payment security for customers, the following information must be made available to the customer:

- Prior to each charging session:
  - the unit of sale (e.g., kWh, time);
  - pricing per unit;
  - any additional fees that may be assessed (e.g., fees associated with parking, dwell time surcharges); and

- the maximum power level of the station (when not sharing power) in kilowatts or equivalent units.
- At the close of the charging session:
  - The date and time of the session;
  - The total price of the session; and
  - The total energy provided in the session.
- Additional Payment requirements:
  - Each charging station must support multiple point of sale methods and at least two forms of payment must be available to users, for example, Near Field Communication Credit Cards (tap) and a toll-free call option to initiate and pay for a session. Customers without tap credit or debit cards must be able to initiate a charging session and payment via credit or debit card over the phone. A subscription card only available to network members does not count as one of the required payment options.
  - The Applicant must adhere to and demonstrate compliance with applicable Payment Card Industry Compliance standards.
  - Payment options should be secure, equitable, and accessible. Stations must accept contactless payment, all major debit and credit cards, and Plug and Charge payment capabilities using the ISO 15118 standard incorporated by reference. Payment should not require membership, and payment type should not affect in any manner the power flow to vehicles. Additionally, payment methods should be accessible to everyone and meet ADA requirements.

## **Program Evaluation**

The following metrics will be used to determine program success throughout the EV Infrastructure Plan lifetime. NHDOT will determine criteria to continually evaluate and report the State's progress on its build-out of the AFCs. Schedule tracking will be used to determine if milestones are being met on time and to focus on critical path items throughout the duration of the infrastructure.

NHDOT will work closely with the private sector to ensure that the new charging locations are available online and that the data is being reported to best inform the State on future decisions.

NHDOT will monitor the work being done and will require regular status reports for all NEVI funded projects. Using the data and feedback received, NHDOT will revive the Plan annually making necessary updates to best reflect the current goals and best practices. NHDOT will continuously collaborate with Stakeholder Agencies via the EV Working Committee to make informed decisions.

Table 13. Program Evaluation Performance Indicators and Units of Measurement

| Performance Indicator   | Unit   | Frequency           |
|---|--|---------------------|
| Monthly, Annual Reporting   | Stakeholder feedback; P3 opportunities; EV dashboard feedback  | Monthly             |
| EV Charging Infrastructure Deployment Schedule Monitoring deployed vs proposed per RFP(s) responses | Time   | Monthly             |
| Reduced harmful emissions in DACs   | Average kWh/mi compared to average grams/mi emissions of conventional vehicles   | Annual              |
| EV Charging station utilization rates   | Amount of charging capacity per Federal dollar   | Quarterly           |
| Operating Costs per EV charging station   | Total cost of electricity that the charging station operator must pay to operate on a charging station and maintenance and repair costs per charging station | Quarterly           |
| Equity Goals Monitoring   | Disadvantaged community participation; outreach efforts success  | Annual              |
| Private Industry Response   | Partnership opportunities from private industries; funding opportunities generated from private partners   | Annual              |
| Public response   | Number of survey responses; likes; social media statistics   | Annual              |
| EV Infrastructure Coverage on Interstates   | EV Readiness determination of Interstates  | Annual until FY2024 |

## **Discretionary Exceptions (if any)**

At this time, NHDOT is not requesting exceptions from the requirement of EV charging infrastructure being installed every 50 miles along or one mile from the designated Alternate Fuel Corridors.

The New London charger site is the only proposed site in any phase that will require a discretionary exception to be located more than 1 mile away from the AFC the charger is assigned to. This discretionary exception is being proposed due to the lack of existing amenities within 1 mile of the exit ramps to I-89 in New London, whereas a shopping center with amenities that compliment a charging station is located between 1.5 to 2 miles away from I-89 in New London. Given these circumstances, a discretionary exception is requested.

No other charging sites will require a discretionary exception.



Figure 15: New London charger location relative to its AFC (I-89)

## **List of Acronyms**

ADA Americans with Disabilities Act

AFC Alternative Fuel Corridor

BESS Battery Energy Storage System
CCS Combined Charging System
CFR Code of Federal Regulations
CNG Compressed Natural Gas
DAC Disadvantaged Community

DBEA Department of Business and Economic Affairs

DCFC Direct Current Fast Charger

DES Department of Environmental Services
DHHS Department of Health and Human Services
DNCR Department of Natural and Cultural Resources

DoE Department of Energy EAP Emergency Action Plan

ED&I Equity, Diversity, and Inclusion

EJ Equity and Justice
EV Electric Vehicle
EM Electric Motorcycles

EVITP Electric Vehicle Infrastructure Training Program

EVSE Electric Vehicle Supply Equipment FHWA Federal Highway Administration

FY Fiscal Year

G&C New Hampshire Governor and Council

HEV Hybrid Electric Vehicle

MOU Memorandum of Understanding
MPO Metropolitan Planning Organization
NEVI National Electric Vehicle Infrastructure
NACS North American Charging Standard

NH New Hampshire

NHDOT New Hampshire Department of Transportation

NHEC New Hampshire Electric Charging

OCPP Open Charge Point Protocol
PHEV Plug-In Hybrid Electric Vehicle
PUC Public Utility Commission
RFP Request for Proposal
RPC Remote Procedure Call

TOU Time-of-Use

USDOT United States Department of Transportation VW Trust Volkswagen Environmental Mitigation Trust

## **Appendix A: Supporting Materials (As Applicable)**

The following table was developed using the following sources in July of 2023: NHGRANIT, NHDOT. Federal Highway Administration.

## **Appendix A: Supporting Materials (As Applicable)**

The following table was developed using the following sources in July of 2023: NHGRANIT, NHDOT. Federal Highway Administration.

| State EV Charging Location<br>Unique ID* | Charger Level (DCFC or L2)         | Address                      | Location                   | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|--|------------------------------------|------------------------------|----------------------------|----------|-------------------------|-----------------------------------|--|
| 3332                                     | EV<br>Level<br>2                   | 780 N<br>Commercial<br>St    | Eversource Energy Park     | 1        | Non-<br>Networked       | No                                | No   |
| 4271                                     | EV<br>Level<br>2, EV<br>DC<br>Fast | 175<br>Manchester<br>St      | Concord Nissan             | 2        | Non-<br>Networked       | Partial                           | No   |
| 4272                                     | EV<br>Level<br>2                   | 175<br>Manchester<br>St      | Concord Nissan             | 1        | Non-<br>Networked       | No                                | No   |
| 4273                                     | EV<br>Level<br>2                   | 280 Amherst<br>St            | Peter's Nissan -<br>Nashua | 1        | Non-<br>Networked       | No                                | No   |
| 4274                                     | EV<br>Level<br>2                   | 120<br>Spaulding<br>Turnpike | Port City Nissan           | 1        | Non-<br>Networked       | No                                | No   |
| 4275                                     | EV<br>Level<br>2                   | 120<br>Spaulding<br>Turnpike | Port City Nissan           | 1        | Non-<br>Networked       | No                                | No   |
| 4276                                     | EV<br>Level<br>2, EV<br>DC<br>Fast | 93 S<br>Broadway             | Patriot Nissan             | 2        | Non-<br>Networked       | Partial                           | No   |
| 4277                                     | EV<br>Level<br>2                   | 93 S<br>Broadway             | Patriot Nissan             | 1        | Non-<br>Networked       | No                                | No   |
| 4278                                     | EV<br>Level<br>2                   | 285 Route<br>108             | Somersworth Nissan         | 1        | Non-<br>Networked       | No                                | No   |
| 4279                                     | EV<br>Level<br>2                   | 285 Route<br>108             | Somersworth Nissan         | 1        | Non-<br>Networked       | No                                | No   |

| State EV Charging Location Winque ID* | Charger Level (DCFC or L2)         | 544                              | Location                      | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full Build Out? |
|---------------------------------------|------------------------------------|----------------------------------|-------------------------------|------------|-------------------------|-----------------------------------|---|
|                                       | EV<br>Level<br>2, EV<br>DC<br>Fast | Monadnock<br>Hwy                 | Nissan of Keene               |            | Non-<br>Networked       | Partial                           |   |
| 4281                                  | EV<br>Level<br>2                   | 544<br>Monadnock<br>Hwy          | Nissan of Keene               | 1          | Non-<br>Networked       | No                                | No                                      |
| 4282                                  | EV<br>Level<br>2                   | 40 E Main St                     | Autoserv Nissan - Tilton      | 1          | Non-<br>Networked       | No                                | No                                      |
| 4283                                  | EV<br>Level<br>2                   | 40 E Main St                     | Autoserv Nissan - Tilton      | 1          | Non-<br>Networked       | No                                | No                                      |
| 4317                                  | EV<br>Level<br>2                   | 70 Keller St                     | Team Nissan                   | 1          | Non-<br>Networked       | No                                | No                                      |
| 4318                                  | EV<br>Level<br>2                   | 70 Keller St                     | Team Nissan                   | 1          | Non-<br>Networked       | No                                | No                                      |
| 6085                                  | EV<br>Level<br>2                   | 485 Main St                      | Berlin City Nissan            | 1          | Non-<br>Networked       | No                                | No                                      |
| 6086                                  | EV<br>Level<br>2                   | 45<br>Portsmouth<br>Ave          | Autofair Nissan               | 1          | Non-<br>Networked       | No                                | No                                      |
| 6848                                  | EV<br>Level<br>2                   | 1 Mount<br>Washington<br>Auto Rd | Mount Washington<br>Auto Road | 2          | Non-<br>Networked       | No                                | No                                      |
| 6849                                  | EV<br>Level<br>2                   | 265 Main St                      | Top Notch Inn                 | 1          | Non-<br>Networked       | No                                | No                                      |
| 7311                                  | EV<br>Level<br>2                   | 151<br>Portsmouth<br>Ave         | McFarland Ford                | 2          | Non-<br>Networked       | No                                | No                                      |
| 7654                                  | EV<br>Level<br>2                   | 2251 White<br>Mountain<br>Hwy    | Red Jacket Inn                | 1          | Non-<br>Networked       | No                                | No                                      |
| 7655                                  | EV<br>Level<br>2                   | 80 Main St                       | Woodstock Inn                 | 1          | Non-<br>Networked       | No                                | No                                      |

| State EV Charging Location<br>9 Unique ID* | Charger Level (DCFC or L2) | Address                   | Location  | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|--|----------------------------|---------------------------|---|----------|-------------------------|-----------------------------------|--|
| 7656                                       | EV<br>Level<br>2           | 231 Main St               | Common Man Inn  | 1        | Non-<br>Networked       | No                                | No   |
| 7657                                       | EV<br>Level<br>2           | 664 US<br>Route 3         | Indian Head Resort  | 1        | Non-<br>Networked       | No                                | No   |
| 7658                                       | EV<br>Level<br>2           | 342 US<br>Route 302       | Bernerhof Inn   | 2        | Non-<br>Networked       | No                                | No   |
| 7659                                       | EV<br>Level<br>2           | 281 Daniel<br>Webster Hwy | Church Landing at Mill<br>Falls                                     | 1        | Non-<br>Networked       | No                                | No   |
| 7904                                       | EV<br>Level<br>2           | 324<br>Commercial<br>St   | DEKA Research and<br>Development Corp                               | 1        | Non-<br>Networked       | No                                | No   |
| 8100                                       | EV<br>Level<br>2           | 15 Buttrick<br>Rd         | LIBERTY GS 15<br>BUTTRICK RD  | 2        | ChargePoint<br>Network  | No                                | No   |
| 8324                                       | EV<br>Level<br>2           | 7<br>Commercial<br>Dr     | ReVision Energy   | 3        | Non-<br>Networked       | No                                | No   |
| 8426                                       | EV<br>Level<br>2           | 95<br>Manchester<br>St    | Lovering Volvo  | 1        | Non-<br>Networked       | No                                | No   |
| 8427                                       | EV<br>Level<br>2           | 361 NH-16                 | Appalachian Mountain<br>Club - Pinkham Notch<br>Visitor Center      | 2        | Non-<br>Networked       | No                                | No   |
| 8496                                       | EV<br>Level<br>2           | 1 Redhook<br>Way          | Cisco Brewery   | 1        | Non-<br>Networked       | No                                | No   |
| 8534                                       | EV<br>Level<br>2           | Route 302                 | Appalachian Mountain<br>Club - Highland Center<br>at Crawford Notch | 1        | Non-<br>Networked       | No                                | No   |
| 8585                                       | EV<br>Level<br>2           | 40 Avon St                | Antioch University New<br>England                                   | 2        | Non-<br>Networked       | No                                | No   |
| 8686                                       | EV<br>Level<br>2           | 19 Elm St                 | Elm Street Parking<br>Garage  | 3        | Non-<br>Networked       | No                                | No   |
| 8827                                       | EV<br>Level<br>2           | 1 Oracle Dr               | Oracle  | 2        | Non-<br>Networked       | No                                | No   |

| State EV Charging Location Unique ID* | Charger Level (DCFC or L2) | Address                       | Location  | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|---------------------------------------|----------------------------|-------------------------------|---|------------|-------------------------|-----------------------------------|--|
| 9150                                  | EV<br>Level<br>2           | 594 New<br>Hampshire<br>3A    | Grappone Toyota   | 2          | Non-<br>Networked       | No                                | No   |
| 9586                                  | EV<br>Level<br>2           | 1190 Route<br>12A             | Plainfield Country<br>Convenience Store                       | 1          | Non-<br>Networked       | No                                | No   |
| 9840                                  | EV<br>Level<br>2           | 530 New<br>Hampshire<br>3A    | Grappone Ford   | 2          | Non-<br>Networked       | No                                | No   |
| 9841                                  | EV<br>Level<br>2           | 119<br>Monadnock<br>Hwy       | Monadnock Ford  | 2          | Non-<br>Networked       | No                                | No   |
| 9842                                  | EV<br>Level<br>2           | 33 Nashua<br>Rd               | Ford of Londonderry   | 1          | Non-<br>Networked       | No                                | No   |
| 10591                                 | EV<br>Level<br>2           | 2779 White<br>Mountain<br>Hwy | Mount Washington<br>Observatory - Weather<br>Discovery Center | 2          | Non-<br>Networked       | No                                | No   |
| 10614                                 | EV<br>Level<br>2           | 2 Digital Dr                  | Fidelity  | 2          | Non-<br>Networked       | No                                | No   |
| 10801                                 | EV<br>Level<br>2           | 1 Carter<br>Notch Rd          | The Wentworth Inn   | 1          | Non-<br>Networked       | No                                | No   |
| 10807                                 | EV<br>Level<br>2           | 1 Spartan<br>Way              | Fidelity  | 2          | Non-<br>Networked       | No                                | No   |
| 10866                                 | EV<br>Level<br>2           | 49 Madbury<br>Rd              | Durham Public Library   | 1          | Non-<br>Networked       | No                                | No   |
| 10870                                 | EV<br>Level<br>2           | 55 Lake St                    | North Point Property<br>Management                            | 1          | Non-<br>Networked       | No                                | No   |
| 11143                                 | EV<br>Level<br>2           | 51 Evans Dr                   | Team Nissan North   | 1          | Non-<br>Networked       | No                                | No   |
| 11623                                 | EV<br>Level<br>2           | 12 Olde<br>Bedford Way        | STATION 1 BVI 1   | 2          | ChargePoint<br>Network  | No                                | No   |
| 11680                                 | EV<br>Level<br>2           | 34 Hanover<br>St              | PORTSMOUTH<br>HANOVER GARAGE                                  | 2          | ChargePoint<br>Network  | No                                | No   |

| State EV Charging Location<br>G Unique ID* | Charger Level (DCFC or L2) | Address  | Location                                      | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out?   |
|--|----------------------------|--|---|----------|-------------------------|-----------------------------------|--|
| 11757                                      | EV<br>Level<br>2           | 224 S River<br>Rd                              | IHOP  | 1        | Non-<br>Networked       | No                                | No   |
| 11758                                      | EV<br>Level<br>2           | 375 6th St                                     | JD Howard Dental                              | 1        | Non-<br>Networked       | No                                | No   |
| 12738                                      | EV<br>Level<br>2           | 32 Maple St                                    | Highland Lake Inn                             | 1        | Non-<br>Networked       | No                                | No   |
| 13497                                      | EV<br>Level<br>2           | 267 South<br>Rd                                | The Farm at Eastman's<br>Corner               | 2        | Non-<br>Networked       | No                                | No   |
| 14912                                      | EV<br>Level<br>2           | 7 Junkins<br>Ave                               | PORTSMOUTH CITY<br>HALL LOWER                 | 2        | ChargePoint<br>Network  | No                                | No   |
| 15293                                      | EV<br>Level<br>2           | 774 Shem<br>Valley Rd                          | Appalachian Mountain<br>Club - Cardigan Lodge | 1        | Non-<br>Networked       | No                                | No   |
| 15397                                      | EV<br>Level<br>2           | 1 Airport Rd                                   | Manchester-Boston<br>Regional Airport         | 4        | Non-<br>Networked       | No                                | No   |
| 15398                                      | EV<br>Level<br>2           | 100 Ten Rod<br>Rd                              | Myhre Equine Clinic                           | 2        | Non-<br>Networked       | No                                | No   |
| 15399                                      | EV<br>Level<br>2           | 1 Medical<br>Center Dr                         | Dartmouth Hitchcock<br>Medical Center         | 4        | Non-<br>Networked       | No                                | No   |
| 15400                                      | EV<br>Level<br>2           | 752 NH<br>Route 104                            | Route 104 Diner                               | 1        | Non-<br>Networked       | No                                | No   |
| 15432                                      | EV<br>Level<br>2           | 67 Pleasant<br>View Rd                         | Rosewood Country Inn                          | 1        | Non-<br>Networked       | No                                | No   |
| 15908                                      | EV<br>DC<br>Fast           | Hooksett<br>Travel Plaza<br>Northbound<br>I-93 | Hooksett Travel Plaza -<br>Tesla Supercharger | 10       | Tesla                   | Yes                               | Maybe –<br>Potential<br>Phase 2<br>or 3 site |
| 15909                                      | EV<br>DC<br>Fast           | Hooksett<br>Travel Plaza<br>Southbound<br>I-93 | Hooksett Travel Plaza -<br>Tesla Supercharger | 12       | Tesla                   | Yes                               | Maybe –<br>Potential<br>Phase 2<br>or 3 site |

| State EV Charging Location Unique ID* | Charger Level (DCFC or L2) | Address  | Location   | ත Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out?                                       |
|---------------------------------------|----------------------------|--|--|------------|-------------------------|-----------------------------------|--|
| 15910                                 | EV<br>DC<br>Fast           | 22 South<br>Mountain                           | Riverwalk at Loon<br>Mountain - Tesla<br>Supercharger    | 6          | Tesla                   | Yes                               | Maybe –<br>Eligible to<br>bid for<br>Lincoln<br>site                             |
| 15911                                 | EV<br>DC<br>Fast           | 700<br>Lafayette<br>Road                       | Seabrook Commons -<br>Tesla Supercharger                 | 8          | Tesla                   | Yes                               | Maybe – Site only eligible if Electrify America Seabrook site not NEVI compliant |
| 15912                                 | EV<br>DC<br>Fast           | 285 N.<br>Plainfield<br>Road                   | Valley Square Shopping<br>Center - Tesla<br>Supercharger | 8          | Tesla                   | Yes                               | Maybe – Site only eligible if Electrify America Lebanon site not NEVI compliant  |
| 16301                                 | EV<br>Level<br>2           | 64 Trooper<br>Leslie G Lord<br>Memorial<br>Hwy | LaPerle's IGA  | 2          | Non-<br>Networked       | No                                | No   |
| 16340                                 | EV<br>Level<br>2           | 1245 Bald<br>Hill Rd                           | Tin Mountain<br>Conservation Center                      | 1          | Non-<br>Networked       | No                                | No   |
| 16757                                 | EV<br>Level<br>2           | 100 Foundry<br>Pl                              | PORTSMOUTH<br>FOUNDRY 3                                  | 1          | ChargePoint<br>Network  | No                                | No   |
| 16818                                 | EV<br>Level<br>2           | 110 Brewery<br>Ln                              | The Frank Jones 1884<br>House                            | 2          | Non-<br>Networked       | No                                | No   |
| 18756                                 | EV<br>Level<br>2           | 32 Maple St                                    | Highland Lake Inn -<br>Tesla Destination                 | 1          | Tesla<br>Destination    | No                                | No   |
| 18757                                 | EV<br>Level<br>2           | 2 Olde<br>Bedford Way                          | Bedford Village Inn -<br>Tesla Destination               | 1          | Tesla<br>Destination    | No                                | No   |

| State EV Charging Location Unique ID* | Charger Level (DCFC or L2) | Address                       | Location  | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|---------------------------------------|----------------------------|-------------------------------|---|------------|-------------------------|-----------------------------------|--|
| 18758                                 | EV<br>Level<br>2           | 67 Pleasant<br>View Rd        | Rosewood Country Inn -<br>Tesla Destination                                   | 2          | Tesla<br>Destination    | No                                | No   |
| 18759                                 | EV<br>Level<br>2           | 20 Cross Rd                   | Chesterfield Inn, a<br>Select Registry<br>Property - Tesla<br>Destination     | 2          | Tesla<br>Destination    | No                                | No   |
| 18760                                 | EV<br>Level<br>2           | 96 Pleasant<br>St             | The Centennial Inn -<br>Tesla Destination                                     | 3          | Tesla<br>Destination    | No                                | No   |
| 18761                                 | EV<br>Level<br>2           | 2251 White<br>Mountain<br>Hwy | Red Jacket Mountain<br>View Resort - Tesla<br>Destination                     | 2          | Tesla<br>Destination    | No                                | No   |
| 18762                                 | EV<br>Level<br>2           | 14 Manning<br>St              | Derry Municipal Lot -<br>Tesla Destination                                    | 4          | Tesla<br>Destination    | No                                | No   |
| 18763                                 | EV<br>Level<br>2           | 200 Sterling<br>Wy            | The Garrison Hotel -<br>Tesla Destination                                     | 3          | Tesla<br>Destination    | No                                | No   |
| 18764                                 | EV<br>Level<br>2           | 45 Orchard<br>St              | Orchard Street Parking<br>Garage - Tesla<br>Destination                       | 4          | Tesla<br>Destination    | No                                | No   |
| 18765                                 | EV<br>Level<br>2           | 6 Front St                    | Inn by the Bandstand,<br>a Select Registry<br>Property - Tesla<br>Destination | 2          | Tesla<br>Destination    | No                                | No   |
| 18766                                 | EV<br>Level<br>2           | 90 Front St                   | The Exeter Inn - Tesla<br>Destination   | 3          | Tesla<br>Destination    | No                                | No   |
| 18767                                 | EV<br>Level<br>2           | 33 Main St                    | The Hancock Inn, a<br>Select Registry<br>Property - Tesla<br>Destination      | 2          | Tesla<br>Destination    | No                                | No   |
| 18768                                 | EV<br>Level<br>2           | 2 Morey Rd                    | The Notchland Inn -<br>Tesla Destination                                      | 2          | Tesla<br>Destination    | No                                | No   |
| 18769                                 | EV<br>Level<br>2           | 33 The Oaks<br>St             | Colby Hill Inn, a Select<br>Registry Property -<br>Tesla Destination          | 2          | Tesla<br>Destination    | No                                | No   |
| 18770                                 | EV<br>Level<br>2           | 31 Manor Dr                   | Manor On Golden<br>Pond, a Select Registry                                    | 2          | Tesla<br>Destination    | No                                | No   |

| State EV Charging Location<br>Unique ID* | Charger Level (DCFC or L2) | Address                | Location   | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|--|----------------------------|------------------------|--|----------|-------------------------|-----------------------------------|--|
|  |                            |                        | Property - Tesla<br>Destination  |          |                         |                                   |  |
| 18771                                    | EV<br>Level<br>2           | 1 Carter<br>Notch Rd   | The Wentworth Inn -<br>Tesla Destination                                     | 1        | Tesla<br>Destination    | No                                | No   |
| 18772                                    | EV<br>Level<br>2           | 179 Carter<br>Notch Rd | Eagle Mountain House<br>- Tesla Destination                                  | 2        | Tesla<br>Destination    | No                                | No   |
| 18773                                    | EV<br>Level<br>2           | 60 Loon<br>Mountain Rd | Loon Mountain - Tesla<br>Destination   | 3        | Tesla<br>Destination    | No                                | No   |
| 18774                                    | EV<br>Level<br>2           | 853<br>Pleasant St     | Inn at Pleasant Lake -<br>Tesla Destination                                  | 2        | Tesla<br>Destination    | No                                | No   |
| 18775                                    | EV<br>Level<br>2           | 239<br>Skimobile Rd    | Cranmore Mountain<br>Resort - Tesla<br>Destination                           | 2        | Tesla<br>Destination    | No                                | No   |
| 18776                                    | EV<br>Level<br>2           | 80<br>Kearsarge<br>Rd  | Cranmore Inn Bed and<br>Breakfast - Tesla<br>Destination                     | 2        | Tesla<br>Destination    | No                                | No   |
| 18777                                    | EV<br>Level<br>2           | 23 Portwalk<br>Place   | Portwalk Parking<br>Garage - Tesla<br>Destination                            | 2        | Tesla<br>Destination    | No                                | No   |
| 18778                                    | EV<br>Level<br>2           | 505 1<br>Bypass        | The Port Inn, an Ascend<br>Hotel Collection<br>Member - Tesla<br>Destination | 3        | Tesla<br>Destination    | No                                | No   |
| 18779                                    | EV<br>Level<br>2           | 116 Route<br>117       | Sugar Hill Inn, a Select<br>Registry Property -<br>Tesla Destination         | 2        | Tesla<br>Destination    | No                                | No   |
| 18780                                    | EV<br>Level<br>2           | 195 Laconia<br>Rd      | Hampton Inn & Suites<br>Tilton - Tesla<br>Destination                        | 2        | Tesla<br>Destination    | No                                | No   |
| 18781                                    | EV<br>Level<br>2           | 90 N Main St           | The Wolfeboro Inn -<br>Tesla Destination                                     | 3        | Tesla<br>Destination    | No                                | No   |
| 20233                                    | EV<br>Level<br>2           | 2 Contra<br>Way        | Fidelity   | 1        | Non-<br>Networked       | No                                | No   |
| 20755                                    | EV<br>Level<br>2           | 979 NH<br>Route 16     | The Glen House   | 2        | Non-<br>Networked       | No                                | No   |

| State EV Charging Location<br>Unique ID* | Charger Level (DCFC or L2)         | SS Address Address 150 Dow St    | ocațion<br>Millyard Office                         | N Location | Number of EV Connectors | Meets 23 CFR 680  Requirements? | Intent to Count towards Full   Build Out?              |
|--|------------------------------------|----------------------------------|--|------------|-------------------------|---------------------------------|--|
|  | Level 2                            |                                  |  |            | Networked               |                                 |  |
| 21428                                    | EV<br>Level<br>2                   | 1 Market St                      | The Lyme Inn - Tesla<br>Destination                | 1          | Tesla<br>Destination    | No                              | No   |
| 22110                                    | EV<br>Level<br>2, EV<br>DC<br>Fast | 385 Route<br>108                 | Hilltop Chevrolet                                  | 2          | Non-<br>Networked       | Partial                         | No   |
| 22450                                    | EV<br>DC<br>Fast                   | 115 John E<br>Devine Dr          | MANCHESTERHD<br>DCFAST HOG                         | 1          | ChargePoint<br>Network  | Yes                             | No   |
| 22825                                    | EV<br>Level<br>2                   | 177<br>Lafayette Rd              | Hampton Ford-Hyundai                               | 2          | Non-<br>Networked       | No                              | No   |
| 23406                                    | EV<br>Level<br>2                   | 75 South<br>Commercial<br>St     | *SNHU* STATION 1                                   | 2          | ChargePoint<br>Network  | No                              | No   |
| 23465                                    | EV<br>Level<br>2                   | 14 Elm St                        | Elm Street Parking<br>Garage                       | 2          | Non-<br>Networked       | No                              | No   |
| 24428                                    | EV<br>Level<br>2                   | 27 Buttrick<br>Rd                | LIBERTY GS 27<br>BUTTRICK RD                       | 2          | ChargePoint<br>Network  | No                              | No   |
| 24675                                    | EV<br>Level<br>2                   | 65 Granite<br>St                 | CNH GARAGE STATION<br>2                            | 2          | ChargePoint<br>Network  | No                              | No   |
| 25101                                    | EV<br>Level<br>2                   | 1 Mount<br>Washington<br>Auto Rd | Mt. Washington Auto<br>Road - Tesla<br>Destination | 3          | Tesla<br>Destination    | No                              | No   |
| 25625                                    | EV<br>DC<br>Fast                   | 290 North<br>Main Street         | Hannaford<br>Supermarket - Tesla<br>Supercharger   | 8          | Tesla                   | Yes                             | Maybe –<br>Eligible to<br>bid for<br>Rochester<br>site |
| 25871                                    | EV<br>Level<br>2                   | 7 Lebanon<br>St                  | H-PKG FACILITY<br>HANOVER GAR. 2                   | 2          | ChargePoint<br>Network  | No                              | No   |

| State EV Charging Location<br>9 Unique ID* | Charger Level (DCFC or L2) | <b>SS</b><br><b>Address</b><br>279 R-16 | <b>Coat</b> ion<br>Ragged Mountain | ⊳ Location | -loNumber of EV Connectors | Meets 23 CFR 680 Requirements? | Intent to Count towards Full Build Out?      |
|--|----------------------------|---|------------------------------------|------------|----------------------------|--------------------------------|--|
|  | Level<br>2                 |   | Equipment                          |            | Networked                  |                                |  |
| 26564                                      | EV<br>Level<br>2           | 1675 White<br>Mountain<br>Hwy           | Settlers Green Outlets             | 2          | Non-<br>Networked          | No                             | No   |
| 31250                                      | EV<br>Level<br>2           | 5 Granite St                            | Stone Church Music<br>Club         | 1          | Non-<br>Networked          | No                             | No   |
| 32351                                      | EV<br>DC<br>Fast           | 158 Main<br>Street                      | Dunkin' - Tesla<br>Supercharger    | 8          | Tesla                      | Yes                            | Maybe –<br>Potential<br>Phase 2<br>or 3 site |
| 32387                                      | EV<br>Level<br>2           | 15 Kit St                               | Filtrine Manufacturing<br>Company  | 1          | Non-<br>Networked          | No                             | No   |
| 32781                                      | EV<br>DC<br>Fast           | 4 Mall Rd                               | KLEMMS MOBIL<br>KLEMMSFAMILY       | 1          | ChargePoint<br>Network     | Yes                            | No   |
| 32981                                      | EV<br>DC<br>Fast           | 700<br>Lafayette Rd<br>Unit #1          | Walmart 1762 -<br>Seabrook, NH     | 4          | Electrify<br>America       | Yes                            | Yes  |
| 32985                                      | EV<br>Level<br>2           | 147<br>Piscataqua<br>Rd                 | Emery Farm Market &<br>Cafe        | 2          | Non-<br>Networked          | No                             | No   |
| 33664                                      | EV<br>Level<br>2           | 406 S Main<br>St                        | Tru by Hilton - Concord            | 2          | EV Connect                 | No                             | No   |
| 34234                                      | EV<br>Level<br>2           | 107<br>Northeastern<br>Blvd             | Skillsoft - Tesla<br>Destination   | 1          | Tesla<br>Destination       | No                             | No   |
| 34535                                      | EV<br>Level<br>2           | 402 S<br>Broadway                       | ROCKINGHAM CPF25<br>GW01           | 2          | ChargePoint<br>Network     | No                             | No   |
| 34863                                      | EV<br>Level<br>2           | 33 Chippewa<br>Way                      | Windsor Hills<br>Condominium       | 2          | Blink<br>Network           | No                             | No   |
| 37357                                      | EV<br>Level<br>2           | 100 Foundry<br>PI                       | PORTSMOUTH<br>FOUNDRY 1            | 1          | ChargePoint<br>Network     | No                             | No   |

| State EV Charging Location Unique ID* | Charger Level (DCFC or L2) | Address                      | Location   | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out?       |
|---------------------------------------|----------------------------|------------------------------|--|----------|-------------------------|-----------------------------------|--|
| 37358                                 | EV<br>Level<br>2           | 100 Foundry<br>Pl            | PORTSMOUTH<br>FOUNDRY 2                            | 1        | ChargePoint<br>Network  | No                                | No   |
| 38082                                 | EV<br>Level<br>2           | 75 South<br>Commercial<br>St | SNHU STATION 3                                     | 2        | ChargePoint<br>Network  | No                                | No   |
| 38083                                 | EV<br>Level<br>2           | 75 South<br>Commercial<br>St | SNHU STATION 2                                     | 2        | ChargePoint<br>Network  | No                                | No   |
| 38223                                 | EV<br>Level<br>2           | 65 Granite<br>St             | CNH GARAGE STATION<br>1                            | 2        | ChargePoint<br>Network  | No                                | No   |
| 38421                                 | EV<br>Level<br>2           | 7 Lebanon<br>St              | H-PKG FACILITY<br>HANOVER GAR. 1                   | 2        | ChargePoint<br>Network  | No                                | No   |
| 43845                                 | EV<br>Level<br>2           | 402 S<br>Broadway            | ROCKINGHAM SHOP<br>01                              | 1        | ChargePoint<br>Network  | 0                                 | No   |
| 44949                                 | EV<br>DC<br>Fast           | 17 Lafayette<br>Rd           | SEACOAST1 DCFAST<br>HOG                            | 1        | ChargePoint<br>Network  | Yes                               | No   |
| 46665                                 | EV<br>DC<br>Fast           | 65 Laconia<br>Road           | Dunkin' - Tesla<br>Supercharger                    | 8        | Tesla                   | Yes                               | Maybe –<br>Eligible to<br>bid for<br>Tilton site |
| 46909                                 | EV<br>Level<br>2           | 26 Thayers<br>Ln             | THAYERS LANE<br>THAYERS LANE                       | 2        | ChargePoint<br>Network  | No                                | No   |
| 47701                                 | EV<br>Level<br>2           | Pettee Brook<br>Lane         | PETTEE BROOK PETTEE<br>BROOK                       | 2        | ChargePoint<br>Network  | No                                | No   |
| 48748                                 | EV<br>DC<br>Fast           | 1500 South<br>Willow Street  | Simon Mall of New<br>Hampshire<br>(Manchester, NH) | 4        | Electrify<br>America    | Yes                               | Yes  |
| 48874                                 | EV<br>Level<br>2           | 86 S<br>Broadway             | TUSCAN VILLAGE<br>STATION 1                        | 2        | ChargePoint<br>Network  | No                                | No   |
| 49098                                 | EV<br>Level<br>2           | 33 Nashua<br>Rd              | Ford of Londonderry                                | 1        | Non-<br>Networked       | No                                | No   |

| State EV Charging Location of Unique ID* | Charger Level (DCFC or L2)         | Address                       | Location                           | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|--|------------------------------------|-------------------------------|------------------------------------|------------|-------------------------|-----------------------------------|--|
| 49957                                    | EV<br>Level<br>2                   | 1600<br>Woodbury<br>Ave       | WFM N-ATLANTIC WFM<br>PORTSMOUTH   | 2          | ChargePoint<br>Network  | No                                | No   |
| 50216                                    | EV<br>Level<br>2                   | 955<br>Perimeter Rd           | ALLEGRO STATION 1                  | 2          | ChargePoint<br>Network  | No                                | No   |
| 50489                                    | EV<br>Level<br>2                   | 58<br>Portsmouth<br>Ave       | Audi Stratham                      | 2          | Blink<br>Network        | No                                | No   |
| 50943                                    | EV<br>Level<br>2                   | 3 Gilbert<br>Drive            | Gilbert Crossing                   | 2          | SemaCharge<br>Network   | No                                | No   |
| 51419                                    | EV<br>Level<br>2                   | 2533 N<br>River Rd            | SNHU - CETA III SNHU<br>CETA3      | 1          | ChargePoint<br>Network  | No                                | No   |
| 51523                                    | EV<br>DC<br>Fast                   | 285<br>PLAINFIELD<br>RD       | Walmart 2138 (West<br>Lebanon, NH) | 4          | Electrify<br>America    | Yes                               | Yes  |
| 51733                                    | EV<br>Level<br>2                   | Gilbo Avenue                  | Commercial Street Lot              | 2          | SemaCharge<br>Network   | No                                | No   |
| 51927                                    | EV<br>Level<br>2                   | 8 Digital<br>Drive            | Tara Heights                       | 2          | SemaCharge<br>Network   | No                                | No   |
| 52666                                    | EV<br>Level<br>2                   | 800 Central<br>Street         | Corsa                              | 2          | SemaCharge<br>Network   | No                                | No   |
| 53903                                    | EV<br>Level<br>2, EV<br>DC<br>Fast | 121 S River<br>Rd             | Whole Foods Market                 | 2          | eVgo<br>Network         | Partial                           | No   |
| 54278                                    | EV<br>Level<br>2, EV<br>DC<br>Fast | 310 Daniel<br>Webster Hwy     | Pheasant Lane Mall                 | 3          | eVgo<br>Network         | Partial                           | No   |
| 54288                                    | EV<br>Level<br>2, EV<br>DC<br>Fast | 99<br>Rockingham<br>Park Blvd | Mall at Rockingham<br>Park         | 3          | eVgo<br>Network         | Partial                           | No   |

| State EV Charging Location Nuique ID* | Charger Level (DCFC or L2) | Address                       | Location  | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out?                                   |
|---------------------------------------|----------------------------|-------------------------------|---|------------|-------------------------|-----------------------------------|--|
| 54842                                 | EV<br>Level<br>2           | 33 Green St                   | REVISION ENERGY<br>STATION 2                    | 2          | ChargePoint<br>Network  | No                                | No   |
| 54843                                 | EV<br>Level<br>2           | 33 Green St                   | REVISION ENERGY<br>STATION 1                    | 2          | ChargePoint<br>Network  | No                                | No   |
| 55212                                 | EV<br>DC<br>Fast           | 310 Daniel<br>Webster Hwy     | Simon Pheasant Lane<br>Mall (Nashua, NH)        | 4          | Electrify<br>America    | Yes                               | Yes  |
| 56157                                 | EV<br>Level<br>2           | 10 Tara Blvd                  | 100 Innovative Way                              | 2          | SemaCharge<br>Network   | No                                | No   |
| 56158                                 | EV<br>Level<br>2           | 10 Tara<br>Boulevard          | 10 Tara Blvd                                    | 2          | SemaCharge<br>Network   | No                                | No   |
| 56379                                 | EV<br>Level<br>2           | 1439 White<br>Mountain<br>Hwy | Home2Suites                                     | 2          | EV Connect              | No                                | No   |
| 56522                                 | EV<br>Level<br>2           | 370 NH-108                    | SOMERSWORHHYUND<br>INSIDE STATION               | 1          | ChargePoint<br>Network  | No                                | No   |
| 56557                                 | EV<br>DC<br>Fast           | 99<br>Rockingham<br>Park Blvd | Simon Mall at<br>Rockingham Park<br>(Salem, NH) | 4          | Electrify<br>America    | Yes                               | Yes  |
| 56771                                 | EV<br>DC<br>Fast           | 32 Mountain<br>Valley Blvd    | Mountain Valley Mall -<br>Tesla Supercharger    | 8          | Tesla                   | Yes                               | Maybe – Site only eligible if CFI Grant Conway site does not receive funding |
| 57309                                 | EV<br>Level<br>2           | 370 NH-108                    | SOMERSWORTHHYUND<br>OUTSIDE STATION             | 1          | ChargePoint<br>Network  | No                                | No   |
| 57992                                 | EV<br>Level<br>2           | 4 Summer Ct                   | DC TRAN SVCS<br>THOMPSON LOT #1                 | 2          | ChargePoint<br>Network  | No                                | No   |
| 57993                                 | EV<br>Level<br>2           | 36 College<br>Hill            | DC TRAN SVCS DANA<br>LOT #1                     | 2          | ChargePoint<br>Network  | No                                | No   |

| State EV Charging Location Unique ID* | Charger Level (DCFC or L2) | Address                      | Location                                     | N Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out? |
|---------------------------------------|----------------------------|------------------------------|--|------------|-------------------------|-----------------------------------|--|
| 58296                                 | EV<br>Level<br>2           | 440<br>Winchester<br>St      | Fairfield Kia                                | 2          | Non-<br>Networked       | No                                | No   |
| 58297                                 | EV<br>Level<br>2           | 480 Main St                  | Best Western Plus -<br>Landmark Inn          | 1          | Non-<br>Networked       | No                                | No   |
| 58298                                 | EV<br>Level<br>2           | 43<br>Bethlehem<br>Rd        | Littleton Food Co-op                         | 2          | Non-<br>Networked       | No                                | No   |
| 58299                                 | EV<br>Level<br>2           | 650<br>Meadow St             | Crosstown Motors                             | 1          | Non-<br>Networked       | No                                | No   |
| 58300                                 | EV<br>Level<br>2           | 851<br>Meadow St             | Littleton Chevrolet<br>Buick                 | 2          | Non-<br>Networked       | No                                | No   |
| 58301                                 | EV<br>Level<br>2           | 170 Auto<br>Center Rd        | Tulley BMW of<br>Manchester                  | 1          | Non-<br>Networked       | No                                | No   |
| 58302                                 | EV<br>DC<br>Fast           | 1300 S<br>Porter St          | Quirk Kia Manchester                         | 1          | Non-<br>Networked       | Yes                               | No   |
| 58303                                 | EV<br>DC<br>Fast           | 1250 S<br>Willow St          | Quirk Chevrolet                              | 1          | Non-<br>Networked       | Yes                               | No   |
| 58304                                 | EV<br>Level<br>2           | 40 Lake Ave                  | Residence Inn by<br>Marriott                 | 2          | Non-<br>Networked       | No                                | No   |
| 58305                                 | EV<br>Level<br>2           | 30<br>Hammond<br>Rd          | Contemporary Chrysler<br>Dodge Jeep Ram Fiat | 1          | Non-<br>Networked       | No                                | No   |
| 58306                                 | EV<br>Level<br>2           | 180 Daniel<br>Webster Hwy    | Lovering Volvo Cars                          | 1          | Non-<br>Networked       | No                                | No   |
| 58307                                 | EV<br>Level<br>2           | 147 Daniel<br>Webster Hwy    | Tulley BMW of Nashua                         | 2          | Non-<br>Networked       | No                                | No   |
| 58308                                 | EV<br>Level<br>2           | Chargers Rd                  | Colby-Sawyer College                         | 1          | Non-<br>Networked       | No                                | No   |
| 58309                                 | EV<br>Level<br>2           | 1380 New<br>Hampshire<br>103 | Mountain Edge Resort and Spa                 | 1          | Non-<br>Networked       | No                                | No   |

| State EV Charging Location<br>Unique ID* | Charger Level (DCFC or L2) | Address                 | Location                              | Location | Number of EV Connectors | Meets 23 CFR 680<br>Requirements? | Intent to Count towards Full<br>Build Out?   |
|--|----------------------------|-------------------------|---------------------------------------|----------|-------------------------|-----------------------------------|--|
| 58310                                    | EV<br>Level<br>2           | 129 NH-175              | Plymouth State<br>University          | 2        | Non-<br>Networked       | No                                | No   |
| 58311                                    | EV<br>Level<br>2           | 299<br>Vaughan St       | AC Hotel Portsmouth Downtown          | 4        | Non-<br>Networked       | No                                | No   |
| 58312                                    | EV<br>Level<br>2           | 10 Alice<br>Peck Day Dr | 10APDDRIVESSU APD<br>1                | 1        | ChargePoint<br>Network  | No                                | No   |
| 58794                                    | EV<br>DC<br>Fast           | 11<br>Merchants<br>Rd   | Merchants Way - Tesla<br>Supercharger | 12       | Tesla                   | Yes                               | Maybe –<br>Potential<br>Phase 2<br>or 3 site |

<sup>\*</sup>Defined by the State – this should match the unique ID in the State's applicable GIS databases."